

Residential



Window and Door Systems

Product Catalogue

2024



INDEX


Double Hung Windows	3
Zeus Double Hung Window	4
Apollo Sashless Window	8
Sliding Windows	10
Comet Sliding Window	11
Zeus Sliding Window	15
Ultramax Sliding Window	19
Awning / Casement Windows	23
Comet Awning Window	24
Apollo Awning/Casement Window	28
Titan Awning/Casement Window	33
Ultramax Plus Awning/Casement Window	38
Door Systems	41
Comet Sliding Door	42
Comet Stacker Door	46
Built in Flytrack Apartment Door	50
Titan Entry Door	55
Windsor Bi-Fold Door	60
Louvre's, Privacy Screens and Battens	66

DOUBLE HUNG WINDOWS



ZEUS DOUBLE HUNG WINDOW

Counterbalanced Double Hung Window



Bringing together the timeless look of a double hung window with the contemporary benefits of aluminium, the Zeus Double Hung Window is the latest innovation from CAS. Designed to be both affordable and high performing, let the Zeus Double Hung Window be the centerpiece of your next project.

PERFORMANCE

WERS

U-Value

3.4-6.5

SHGC

0.23-0.69

TVW

0.24-0.7

N2 Exposed, N3 Non-Exposed

Serviceability
(+Pa)

UP TO
600

Ultimate Pressure
(Pa)

UP TO
2000


Water Penetration
(Pa)

UP TO
200

FEATURES


- 60mm x 90mm frame size
- Optional sub framing
- Innovative adjustable pulley
- Adjustable rollers for simple assembly
- No punch tooling required
- Can be coupled with existing 90mm frames
- Couples with 90mm frames
- 18mm double glazing
- 4mm-6mm single glazing

Zeus Double Hung Window Profiles




Sill

DHW90
6000mm




Jamb

DHW91
6000mm



Head

DGS86
6000mm



Centre Jamb Guide

DHW92
6000mm




Inner/Outer Jamb Guide

DHW93
6000mm




Track Infill

DGS87
6000mm




Rail Single Glazed

DHW100
6000mm



Stile Single Glazed

DHW101
6000mm




Rail Double Glazed

DHW102
6000mm



Stile Double Glazed

DHW103
6000mm



Interlock Insert

DHW105
6000mm




Handle Insert

DHW104
6000mm




Slotted Subsill

SH102
6500mm



Reveal Closer

F60
6000mm




Extended Frame Closer

F61
6000mm



Subhead

SH103
6500mm




Back to Back Coupler

DHW106
6000mm




Adapter

F93
6000mm



90° Corner Coupler

BC90
6000mm



135° Bay Coupler

F135
6000mm

**To suit 90mm
AluRES Frames**

Zeus Double Hung Window Profiles



**20mm Colonial
Bar**
F75
3600mm

Zeus Double Hung Window Hardware Accessories



**Double Hung
Lock
Black**
DHL110-BLK




**Double Hung
Lock
Chrome**
DHL110-SC



**36mm Adjustable
Pulley**
CR110



3mm Sash Cord
DHC110
Roll of 500m




**Cord Retaining
Clip**
DHR110
Bag of 200




**4.8mm x 6.5mm
Woolpile**
PB48650
Roll of 450m



Bump Strip
BS473
Roll of 25m



**Interlock End Cap
Left**
EC30L
Bag of 100



**Interlock End Cap
Right**
EC30R
Bag of 100




Q-Lon Sill Seal
QEZ48
Roll of 305m



**Sill Flap
Rubber**
PF0628
Roll of 150m



**Expansion
Seal Rubber**
PX0049
Pack of 60m



Sill Gasket
GF111
Roll of 50 Pairs



Head Gasket
GF94
Roll of 250 Pairs

Glazing Rubbers




4mm Channel Rubber
PF0742
Roll of 100m



5mm Channel Rubber
PF0843
Roll of 100m




6mm Channel Rubber
PF636
Roll of 100m



18mm Channel Rubber
PF0830
Roll of 150m

APOLLO SASHLESS WINDOW

Sashless Double Hung Window Frame



The Apollo Sashless Window is designed to have the best airflow of any window on the market. With two panes of glass sliding vertically or horizontally it provides minimal visual obstructions, giving you uninterrupted views. The Apollo Sashless is perfect for alfresco, indoor pool and sunroom spaces.

PERFORMANCE

WERS

U-Value

3.4-6.5

SHGC

N/A

TVW

N/A

Configuration dependent

Serviceability
(+Pa)

UP TO

-

Ultimate Pressure
(Pa)

UP TO

-

Water Penetration
(Pa)


UP TO

-

FEATURES


- Frame size: 26mm height x 90mm frames
- Optional sub framing available
- Lockable with key
- Double glazing (center aluminium bar) - configuration dependent
- Single glazing - configuration dependent

Apollo Sashless Window Profiles



Frame

F100
6000mm



Flat Filler


F101
6000mm

SLIDING WINDOWS



COMET SLIDING WINDOW

Entry-Level Sliding Window



Our comet sliding window is functional and economical. It has a range of configurations with a sliding pane that glides along a track inside the window frame, allowing for maximum ventilation. With minimal components it is highly functional and low maintenance.

PERFORMANCE

WERS

U-Value

3.4-6.3

SHGC

0.43-0.73

N4 Exposed

Serviceability
(+Pa)

UP TO
1000


Ultimate Pressure
(Pa)

UP TO
3300

FEATURES


- Stainless steel bearing rollers
- Lockable window latch
- Lockable window restrictor
- Low profile frame and sash
- 24kg sash
- 50mm frame
- 18mm Double glazing: achievable with adapters
- 4mm-6.38mm Single glazing

Comet Sliding Window Profiles




Head

CSW1
6000mm




Sill

CSW2
6000mm



Jamb

CSW3
6200mm




Transom

CSW5
6000mm




Rail

CSW8
6000mm




Lock Stile

CSW6
6000mm




Interlock

CSW7
6000mm




Mullion

CSW4
6000mm




Heavy Duty Mullion

CSW20
6000mm



**Fixed Panel
Glazing Bead**
CSW12
5000mm



**Double Glazing
Adapter**
CSW17
6000mm




**Track Cover /
Limiter**
CSW18
4000mm



Reveal Closer

F60
6000mm



**Extended Frame
Closer**

F61
6000mm




20mm Colonial Bar

F75
3600mm




**Back to Back
Coupler**
CSW9
6000mm



Corner Coupler

BC50
6000mm



**Bay Window
Coupler**
CSW10
6500mm

Comet Sliding Window Hardware/ Accessories



Lock

SWL50
Box of 100




Roller

SWR50
Bag of 200



Guide

SWG50
Bag of 200




**Limiter
Lock**

DS255U



Anti-Lift Block

DS470
Pair of 2



**Sash Corner
Flute**

CS51
Bag of 1000



**4.8mm x 5.5mm
Woolpile**

PB48550
Roll of 450m



**Flyscreen
Leaf Spring**

1633
Bag of 100



**End Cap
To suit CSW20**

ECD20



**Sill Flap
Rubber**

PF0628
Roll of 150m



**Sill Baffle
Rubber**

PX0040
Roll of 300m



**Expansion
Seal Rubber**

PX0049
Pack of 60m




Head Gasket

GF52
Roll of 250 Pairs



Sill Gasket

GF54
Roll of 250 Pairs



**Transom
Gasket**

GF53
Roll of 250 Pairs


Comet Sliding Window Glazing Rubbers




4mm Channel Rubber
PF0634
Roll of 175m




5mm Channel Rubber
PF0659
Roll of 200m



6mm Channel Rubber
PF0553-6
Roll of 200m



18mm Channel Rubber
PF0830
Roll of 150m



10mm Glazing Tape
T10
Roll of 46m



4mm Fixed Panel Wedge Rubber
PF0688-4
Roll of 100m




5mm Fixed Panel Wedge Rubber
PF0688-5
Roll of 125m



6mm Fixed Panel Wedge Rubber
PF0687-6
Roll of 150m

ZEUS SLIDING WINDOW

High-End Sliding Window



The Zeus Sliding Window is designed to have the best possible airflow of any window on the market. Two panes of glass sliding vertically or horizontally with minimal visual obstructions provide uninterrupted views with the added benefit of ventilation.

PERFORMANCE

WERS

U-Value

3.5-6.3

SHGC

0.2-0.59

TVW

0.18-0.61

N4 Exposed General

Serviceability
(+Pa)

UP TO
1000

Ultimate Pressure
(Pa)

UP TO
3300


Water Penetration
(Pa)

UP TO
300

FEATURES


- Dual 100kg stainless steel ball-bearing rollers
- 90mm x 60mm frame
- Sump sill drainage
- 18mm Double glazing
- 4mm-6.38mm Single glazing

Zeus Sliding Window Profiles




Head

DGS86
6000mm




Sill / Transom

DGS85
6000mm



Jamb

DGS90
6000mm



Low-Lite Mullion

DGS71
6000mm



Track Infill

DGS87
6000mm



Fly-screen Channel Adapter

DGS88
6000mm




Plant-On Fly-screen Adapter

DGS89
6000mm




S/G Lock Stile

DGS92
6000mm



S/G Interlock

CSD6
4900 / 6500mm




S/G Heavy Duty Interlock

STK4
4900 / 6500mm



S/G Male Stile

CSD5
4900 / 6500mm



S/G Female Stile

STK7
6500mm



S/G Rail

CSD4
6500mm



D/G Lock Stile

DGS98
6500mm



D/G Interlock

DGS97
4900 / 6500mm




D/G Heavy Duty Interlock

DGS97
4900 / 6500mm



D/G Male Stile

DGS96
4900 / 6500mm



D/G Female Stile

DGS82
6500mm



D/G Rail

DGS81
6000mm



Fixed Panel Adapter Track

DGS70
6000mm

Zeus Sliding Window Profiles



Fixed Panel Adapter Transom
DGS72
6000mm



Fixed Panel Bead 4mm - 6mm
F56
6000mm




Fixed Panel Bead 8mm - 12mm
F65
6000mm




Fixed Panel Bead 18mm - 22mm
F55
6000mm



Reveal Closer
F60
6000mm



Extended Frame Closer
F61
6000mm



Slotted Subsill
SH102
6500mm




Subhead
SH103
6500mm



90mm 2 Piece Sub Jamb
SH100
6500mm



Sub Jamb Cover
CA605
6500mm



135° Bay Coupler
F135
6000mm
To suit 90mm AluRES Frames

Hardware /Accessories



40kg Narrow Roller
DR3
Box of 200 / or separately



Narrow Dummy Roller
DR4
Box of 200 / or separately



100kg Dual Wheel Roller
8358
Box of 100 / or separately



Bump Stop
BS33
Bag of 100




Door Stop Black
1690-B
Box of 100

Hardware /Accessories



**Door Stop
Satin Chrome**
1690-C
Box of 100



**Limiter
Lock**
DS255U



Anti-Lift Block
DS470
Pair of 2



**Fixed Panel
Fixing Block**
LB1
Bag of 500

ULTRAMAX

SLIDING WINDOW

Commercial Grade Sliding Window



The Ultra Max sliding window is the ultimate sliding system. It is a commercial grade window which is installed with sub framing for superior water protection.

PERFORMANCE

WERS

U-Value

4.0-6.4

SHGC

0.32-0.52

TVW

0.24-0.55

N3 Non Exposed

Serviceability
(+Pa)

UP TO
1000

Ultimate Pressure
(Pa)

UP TO
2000

Water Penetration
(Pa)

UP TO
300

Acoustic Ratings:


RW

24-33

FEATURES


- Dual 100kg s/s bearing rollers
- 100mm x 55mm frame
- Slimline mortice lock
- Slimline optional frame 100mm x 30mm
- Uses the 10055-DG Center Glazed frame
- Combinations of sliding and fixed panels
- Integrates with other Ultramax systems
- Integrated sump/sill transom
- 18mm Double glazing
- 4mm-6.38mm Single glazing

Ultramax Sliding Window Profiles



Sill / Transom

DF416
6500mm



Narrow Sill

DF415
6500mm




55mm Jamb

DF400
6500mm



30mm Jamb with Reveal Fin

DF414
6500mm




Jamb Adapter

DF410
6500mm




Frame Flat Filler

DF605
6500mm




Subsill with Reveal Fin

SS21
6500mm




Reveal Adapter

CA490
6500mm



Ezy Reveal Adapter

CA450
6500mm



Ezy Reveal Adapter

CA493
6500mm



Track Infill

DGS87
6000mm



Fly-screen Channel Adapter

DGS88
6000mm




Plant-On Fly-screen Adapter

DGS89
6000mm




S/G Lock Stile

DGS92
6000mm



S/G Interlock

CSD6
4900 / 6500mm




S/G Heavy Duty Interlock

STK4
4900 / 6500mm



S/G Male Stile

CSD5
4900 / 6500mm



S/G Female Stile

STK7
6500mm



S/G Rail


CSD4
6500mm




D/G Lock Stile

DGS98
6500mm

Ultramax Sliding Window Profiles




D/G Interlock
DGS97
4900 / 6500mm



D/G Heavy Duty Interlock
DGS97
4900 / 6500mm



D/G Male Stile
DGS96
4900 / 6500mm



D/G Female Stile
DGS82
6500mm



D/G Rail
DGS81
6000mm

Hardware /Accessories



40kg Narrow Roller
DR3
Box of 200 / or separately



Narrow Dummy Roller
DR4
Box of 200 / or separately



100kg Dual Wheel Roller
8358
Box of 100 / or separately



Bump Stop
BS33
Bag of 100



Door Stop Black
1690-B
Box of 100



Door Stop Satin Chrome
1690-C
Box of 100



Limiter Lock
DS255U



Anti-Lift Block
DS470
Pair of 2



Fixed Panel Fixing Block
LB1
Bag of 500



Interlock Block
LB4
Bag of 250



Interlock End Cap
Black / White / Grey
EC60
Box of 400



Fly-screen Clip
FC1
Box of 500




Weep Hole Cover
WHC1239
Bag of 100




10mm Hole Plug
HP10
Bag of 200


Accessories



27mm End Cap
Suit STK7 / DGS82
ECD27MM
Bag of 200




Subsill End Cap - Left
Suit SS21
EC21L
Bag of 200



Subsill End Cap - Right
Suit SS21
EC21L
Bag of 200



4.8mm x 5.5mm Woolpile
PB48550
Roll of 450m




4.8mm x 7.5mm Acoustic Seal
QL48750
Roll of 600m



Sill Flap Rubber
PF0628
Roll of 150m



Sill Baffle Rubber
PX0040
Roll of 300m



Head / Sill Gasket
Suit DF416
GF109
Roll of 100 Pairs



Narrow Sill Gasket
Suit DF415
GF108
Roll of 100 Pairs

Glazing Rubbers




4mm Channel Rubber
PF0742
Roll of 100m



5mm Channel Rubber
PF0843
Roll of 100m



6mm Channel Rubber
PF636
Roll of 100m



18mm Channel Rubber
PF0830
Roll of 150m

AWNING/CASEMENT WINDOWS



COMET AWNING WINDOW

Entry-Level Awning Window



Our Comet Awning window is a cost effective window without structural compromise. It is a perfect window for entry level homes, unit developments and more.

PERFORMANCE

WERS

U-Value

3.0-6.4

SHGC

0.22-0.64

TVW

0.2-0.8

N3 Non Exposed General

Serviceability
(+Pa)

UP TO
1500

Ultimate Pressure
(Pa)

UP TO
2250


Water Penetration
(Pa)

UP TO
300

FEATURES


- 50mm x 20mm Frame
- Dual seal sash
- Standard sash options available
- 18mm-24mm Double glazing
- 4mm-6.38mm Single glazing

Comet Awning Window Profiles




Frame

F50
6000mm



Hook Head

F58
6000mm



Transom

F51
6000mm




Adapter

F52
6000mm




Chain Winder Adapter

F57
5400mm




Sash Single Glazed

F53
6000mm




Hook Sash Single Glazed

F59
6000mm



Sash Double Glazed

F62
6000mm



Hook Sash Double Glazed

F63
6000mm



Fixed Panel Bead S/G 4mm - 6mm

F56
6000mm




Fixed Panel Bead S/G 8mm - 12mm

F65
6000mm



Fixed Panel Bead D/G 18mm - 22mm

F55
6000mm



Fixed Panel Bead D/G 24mm

F64
6000mm



Reveal Closer

F60
6000mm



Extended Frame Closer

F61
6000mm




Back to Back Coupler

CSW9
6000mm



90° Corner Coupler

BC50
6000mm



135° Bay Coupler

CSW10
6500mm



20mm Colonial Bar

F75
3600mm

Comet Awning Window Hardware /

Accessories




**Chainwinder
Black**
GW380217-CD1



**Edge Cam Handle
Left Hand**
EDGE3111B



**Edge Cam Handle
Right Hand**
EDGE3110B



**Sash Corner
Stake**
CS50
Box of 1000



**Sash Corner
Flute**
CS51
Bag of 1000



Awning Wedge

AW1
Bag of 500




**Fly-screen
Clip**

FC1
Box of 500



**Weep Hole
Cover**

WHC1239
Bag of 100



**Chainwinder Adapter
End Cap**

EC50
Bag of 500



**10kg Awning Stay
Non Friction**

P1002NF
Pair of 2




**20kg Awning Stay
Non Friction**

P1003NF
Pair of 2



**30kg Awning Stay
Non Friction**

P1004NF
Pair of 2



**Awning Stay
100mm Restrictor**

P1097



**Bulb Seal
Rubber**

PX0644
Roll of 250m




V-Seal Rubber

PX0642
Roll of 300m




**Sill Flap
Rubber**

PF0628
Roll of 150m




**Expansion
Seal Rubber**

PX0049
Pack of 60m




Frame Gasket

GF50
Roll of 250 Pairs



Transom Gasket

GF51
Roll of 250 Pairs



**Sash Cutting
Block Kit**

SCB

Comet Awning Window Glazing Rubbers




Fixed Wedge Rubber
4 / 8 / 18mm
PF0688-4MM
Roll of 100m



Fixed Wedge Rubber
5 / 24mm
PF0688-5MM
Roll of 125m




Fixed Wedge Rubber
6 / 10 / 20 / 24.76mm
PF0687-6MM
Roll of 150m



Fixed Wedge Rubber
12 / 22mm
PF0518-4MM
Roll of 200m



Fixed Foam Glazing Tape
T10
Roll of 46m



Sash Wedge Rubber
4 / 5mm
PF0519-5MM
Roll of 200m



Sash Wedge Rubber
6mm
PF0968-6MM
Roll of 350m




Sash Wedge Rubber
18mm
PF0688-4MM
Roll of 100m



Sash Wedge Rubber
20mm
PF0688-5MM
Roll of 125m



Sash Wedge Rubber
22mm
PF0518-4MM
Roll of 200m



Sash Wedge Rubber
24mm
PF0519-6.38MM
Roll of 250m



Sash T-Back Glazing Rubber
PX0091
Roll of 300m



Sash Foam Glazing Tape
T10
Roll of 46m

APOLLO AWNING/CASEMENT WINDOW

Mid-Range Awning Window



The Apollo Awning Window is our most popular window, providing a balance between bold extravagance and practicality. With an impressive 90 x 26mm aspect, the Apollo brings just the right balance to your project. Strong enough for light commercial projects, it can be used on low-lying apartment projects where permitted.

PERFORMANCE

WERS

U-Value

2.8-6.6

SHGC

0.22-0.77

TVW

0.19-0.78

N4 Non Exposed

Serviceability
(+Pa)

UP TO
1200

Ultimate Pressure
(Pa)

UP TO
2000

Water Penetration
(Pa)

UP TO
1000

Acoustic Ratings:

Fixed
RW

25-38


Awning
RW

27-36

FEATURES


- Dual 100kg s/s bearing rollers
- 100 x 55mm frame
- Slimline mortice lock
- Slimline optional frame 100mm x 30mm
- Optional 70mm vista sash
- Single glazing 4mm-8mm
- Double glazing 18mm-24mm

Apollo Awning/Casement Window Profiles




Frame

F90
6000mm



Hook Head

F99
6000mm




Transom

F94
6000mm



Adapter

F93
6000mm




Chain Winder Adapter

F92
6500mm




Chain Winder Flat Filler

CA305
6500mm




Sash Single Glazed

F53
6000mm




Hook Sash Single Glazed

F59
6000mm




Sash Double Glazed

F62
6000mm




Hook Sash Double Glazed

F63
6000mm



Vista Sash

F70
6200mm



Vista Hook Sash

F73
6200mm



Fixed Panel Bead S/G 4mm - 6mm

F56
6000mm



Fixed Panel Bead S/G 8mm - 12mm

F65
6000mm



Fixed Panel Bead D/G 18mm - 22mm

F55
6000mm



Fixed Panel Bead D/G 24mm

F64
6000mm




Vista Sash Bead Single Glazed

F71
6200mm



Vista Sash Bead Double Glazed

F72
6200mm



Slotted Subsill


SH102
6500mm




Reveal Closer

F60
6000mm


Apollo Awning/Casement Window Profiles




Extended Frame Closer
F61
6000mm



Back to Back Coupler
DHW106
6000mm



135° Bay Coupler
F135
6000mm
To suit 90mm AluRES Frames



90° Corner Coupler
BC90
6000mm



20mm Colonial Bar
F75
3600mm

Hardware /Accessories




Chainwinder Black
GW380217-CD1



Edge Cam Handle Left Hand
EDGE3111B



Edge Cam Handle Right Hand
EDGE3110B




Sash Corner Stake
CS50
Box of 1000



Vista Sash Corner Stake
CS450
Box of 100



Sash Corner Flute
CS51
Bag of 1000



Awning Wedge
AW1
Bag of 500



Flyscreen Clip
FC1
Box of 500



Weep Hole Cover
WHC1239
Bag of 100



10kg Awning Stay Non Friction
P1002NF
Pair of 2



20kg Awning Stay Non Friction
P1003NF
Pair of 2



30kg Awning Stay Non Friction
P1004NF
Pair of 2



Awning/Casement Stay Restrictor
430-4BC-NF
Pair of 2



Awning/Casement Stay Restrictor
P1097


Accessories



Bulb Seal Rubber
PX0644
Roll of 250m



V-Seal Rubber
PX0642
Roll of 300m



Q-Lon Acoustic Seal
QL48750
Roll of 600m




Sill Flap Rubber
PF0628
Roll of 150m




Expansion Seal Rubber
PX0049
Pack of 60m



Frame Gasket
GF90
Roll of 250 Pairs



Transom Gasket
GF91
Roll of 250 Pairs



Sash Cutting Block Kit
SCB

Glazing Rubbers




Fixed Wedge Rubber
4 / 8 / 18mm
PF0688-4MM
Roll of 100m



Fixed Wedge Rubber
5 / 24mm
PF0688-5MM
Roll of 125m



Fixed Wedge Rubber
6 / 10 / 20 / 24.76mm
PF0687-6MM
Roll of 150m



Fixed Wedge Rubber
12 / 22mm
PF0518-4MM
Roll of 200m



Fixed Foam Glazing Tape
T10
Roll of 46m



Sash Wedge Rubber
4 / 5mm
PF0519-5MM
Roll of 200m



Sash Wedge Rubber
6mm
PF0968-6MM
Roll of 350m



Sash Wedge Rubber
18mm
PF0688-4MM
Roll of 100m




Sash Wedge Rubber
20mm
PF0688-5MM
Roll of 125m



Sash Wedge Rubber
22mm
PF0518-4MM
Roll of 200m

Apollo Awning/Casement Window Glazing

Rubbers



**Sash Wedge Rubber
24mm**
PF0519-6.38MM
Roll of 250m



**Sash T-Back
Glazing Rubber**
PX0091
Roll of 300m



**Sash Foam Glazing
Tape**
T10
Roll of 46m



**Vista Sash Wedge
5 / 18mm**
PF0688-4MM
Roll of 100m



**Vista Sash Wedge
6 / 20mm**
PF0688-5MM
Roll of 125m




**Vista Sash Wedge
8 / 22mm**
PF0518-4MM
Roll of 200m



**Vista Sash
Foam Glazing Tape**
T10
Roll of 46m

TITAN AWNING/CASEMENT WINDOW

High-End Awning Window



Our Titan Awning Window is a bold reflection of strength and luxury. With a stunning 90mm x 44mm frame, the Titan far exceeds wind and load, with excellent water penetration. It's bold look attributes to the extra large framework, making it a striking feature for your next project.

PERFORMANCE

WERS

U-Value

3.0-6.5

SHGC

0.2-0.73

TVW

0.17-0.74

N4 Exposed General

Serviceability
(+Pa)

UP TO
1500

Ultimate Pressure
(Pa)

UP TO
2250


Water Penetration
(Pa)

UP TO
1000

FEATURES


- Dual seal sash
- Optional 70mm Vista sash
- 90mm x 44mm frame
- 18mm-24mm Double glazing
- 34mm-8mm Single glazing

Titan Awning/Casement Profiles




Frame

F91
6000mm



Hook Head

F82
6000mm



Transom

F95
6000mm




Adapter

F93
6000mm



20mm Colonial Bar

F75
3600mm




Chain Winder Adapter

F92
6500mm




Chain Winder Flat Filler

CA305
6500mm




Sash Single Glazed

F53
6000mm




Hook Sash Single Glazed

F59
6000mm




Sash Double Glazed

F62
6000mm




Hook Sash Double Glazed

F63
6000mm



Vista Sash

F70
6200mm



Vista Hook Sash

F73
6200mm



Fixed Panel Bead S/G 4mm - 6mm

F56
6000mm



Fixed Panel Bead S/G 8mm - 12mm

F65
6000mm



Fixed Panel Bead D/G 18mm - 22mm

F55
6000mm



Fixed Panel Bead D/G 24mm

F64
6000mm




Vista Sash Bead Single Glazed

F71
6200mm



Vista Sash Bead Double Glazed

F72
6200mm



Slotted Subsill

SH102
6500mm

Titan Awning/Casement Profiles



Reveal Closer

F60
6000mm



Extended Frame Closer

F61
6000mm




Slotted Subsill

SH102
6500mm




Subhead

SH103
6500mm




Back to Back Coupler

DHW106
6000mm



90° Corner Coupler

BC90
6000mm



135° Bay Coupler

F135
6000mm
**To suit 90mm
AluRES Frames**



90mm 2 Piece Sub Jamb

SH100
6500mm



Sub Jamb Cover

CA605
6500mm

Hardware /Accessories



Chainwinder Black

GW380217-CD1




Edge Cam Handle Left Hand

EDGE3111B



Edge Cam Handle Right Hand

EDGE3110B



Sash Corner Stake

CS50
Box of 1000



Vista Sash Corner Stake

CS450
Box of 100



Sash Corner Flute

CS51
Bag of 1000



Awning Wedge

AW1
Bag of 500



Flyscreen Clip

FC1
Box of 500



Weep Hole Cover

WHC1239
Bag of 100

Titan Awning/Casement Hardware/ Accessories



**10kg Awning Stay
Non Friction**
P1002NF
Pair of 2



**20kg Awning Stay
Non Friction**
P1003NF
Pair of 2



**30kg Awning Stay
Non Friction**
P1004NF
Pair of 2



**Awning/Casement
Stay Restrictor**
430-4BC-NF
Pair of 2




**Awning/Casement
Stay Restrictor**
P1097



**Bulb Seal
Rubber**
PX0644
Roll of 250m



V-Seal Rubber
PX0642
Roll of 300m



**Q-Lon Acoustic
Seal**
QL48750
Roll of 600m




**Sill Flap
Rubber**
PF0628
Roll of 150m




**Expansion
Seal Rubber**
PX0049
Pack of 60m



Frame Gasket
GF92
Roll of 250 Pairs



Transom Gasket
GF93
Roll of 250 Pairs



**Sash Cutting
Block Kit**
SCB

Glazing Rubbers




Fixed Wedge Rubber
4 / 8 / 18mm
PF0688-4MM
Roll of 100m



Fixed Wedge Rubber
5 / 24mm
PF0688-5MM
Roll of 125m



Fixed Wedge Rubber
6 / 10 / 20 / 24.76mm
PF0687-6MM
Roll of 150m




Fixed Wedge Rubber
12 / 22mm
PF0518-4MM
Roll of 200m



**Fixed Foam
Glazing Tape**
T10
Roll of 46m

Titan Awning/Casement Glazing Rubbers



**Sash Wedge Rubber
4 / 5mm**
PF0519-5MM
Roll of 200m



**Sash Wedge Rubber
6mm**
PF0968-6MM
Roll of 350m




**Sash Wedge Rubber
18mm**
PF0688-4MM
Roll of 100m



**Sash Wedge Rubber
20mm**
PF0688-5MM
Roll of 125m



**Sash Wedge Rubber
22mm**
PF0518-4MM
Roll of 200m



**Sash Wedge Rubber
24mm**
PF0519-6.38MM
Roll of 250m



**Sash T-Back
Glazing Rubber**
PX0091
Roll of 300m



**Sash Foam Glazing
Tape**
T10
Roll of 46m



**Vista Sash
Foam Glazing Tape**
T10
Roll of 46m



**Vista Sash Wedge
8 / 22mm**
PF0518-4MM
Roll of 200m




**Vista Sash Wedge
5 / 18mm**
PF0688-4MM
Roll of 100m



**Vista Sash Wedge
6 / 20mm**
PF0688-5MM
Roll of 125m

ULTRAMAX PLUS AWNING/ CASEMENT WINDOW

Commercial Grade Awning/Casement Window



The Ultramax Plus Awning/Casement Window is the ultimate product, using Truth hardware we are able to achieve large sash sizes and allows the use of traditional flyscreens without interfering with the operation of the window. This is the perfect solution for high end residential and commercial applications looking for large glass openings.

PERFORMANCE

WERS

U-Value

4.2-6.4

SHGC

0.27-0.46

TVW

0.19-0.44

N3 General / Corner

Serviceability
(+Pa)

UP TO
1000

Ultimate Pressure
(Pa)

UP TO
1400

Water Penetration
(Pa)

UP TO
300

Acoustic Ratings:


RW

29-36


FEATURES

- Integrates with the 10055-DG Centre Glazed System
- Standard 55mm height x 101mm frame
- Dual seal sash
- Captive wedge rubber available
- Truth stainless steel hardware with multi point locking
- 100 x 30mm slim-line frame option
- 24mm-30mm Double glazing
- 4mm-10.38mm Single glazing


Ultramax Plus Awning/Casement Profiles




Frame
100mm x 55mm
DF400
6500mm




Narrow Frame
100mm x 30mm
DF414
6500mm




Head/Sill
ULT-F400
6500mm



Narrow Head/Sill
ULT-F31
6500mm




Jamb Adapter
ULT-J401
6500mm




Sash
ULT-S402
6500mm




**Sash Bead
Single Glazed**
ULT-B14
6500mm




**Sash Bead
Double Glazed**
ULT-B30
6500mm




**Subsill with
Reveal Fin**
SS21
6500mm



Reveal Adapter
CA490
6500mm




**Ezy Reveal
Adapter**
CA450
6500mm



**Ezy Reveal
Adapter**
CA493
6500mm


Hardware /Accessories




**Sash Corner
Stake**
CS440-L



**Sash Corner
Flute**
CS51
Bag of 1000



Sill End Cap
ECP1
Bag of 200




**Jamb End Cap
Left**
EC-ULTL
Bag of 200




**Jamb End Cap
Right**
EC-ULTR
Bag of 200

Accessories



**Subsill End Cap - Left
Suit SS21**
EC21L
Bag of 200



**Subsill End Cap - Right
Suit SS21**
EC21L
Bag of 200



**Bulb Seal
Rubber**
PX0644
Roll of 250m



**Sash Flap
Rubber**
PF0924
Roll of 250m




**Sill Baffle
Rubber**
PX0040
Roll of 300m



**Sill Flap
Rubber**
PF0628
Roll of 150m

Glazing Rubbers



**Sash Wedge Rubber
6mm**
PF0513
Roll of 150m



**Sash Wedge Rubber
8 / 24mm**
PF0518-4MM
Roll of 200m



**Sash Foam
Glazing Tape**
T10
Roll of 46m

DOOR SYSTEMS



COMET SLIDING DOOR

Mid-Range Sliding Door



The Comet Sliding Door is the perfect cost effective solution for housing. The sliding door provides simple access without compromising quality. Available in 2,3 and 4 panel configurations.

PERFORMANCE

WERS

U-Value

2.8-6.1

SHGC

0.23-0.72

TVW

0.28-0.74

N3 General / Corner

Serviceability
(+Pa)

UP TO
670

Ultimate Pressure
(Pa)

UP TO
2000

Water Penetration
(Pa)

UP TO
200

Acoustic Ratings:


RW

23-30


FEATURES

- 100kg dual wheel rollers
- Sump sill drainage
- Optional security doors and tracks
- 18mm Double glazing
- 4mm-6.38mm Single glazing


Comet Sliding Door Profiles




High Performance Sill
HPS95
6500mm



Standard Sill
CSD9
6500mm




Head
CSD1
6500mm




Jamb
CSD3
4900 / 6500mm




Threshold
CSD8
6500mm




S/G Male Stile
CSD5
4900 / 6500mm




S/G Interlock
CSD6
4900 / 6500mm



S/G Heavy Duty Interlock
STK4
4900 / 6500mm



3 Panel Adapter Single Glazed
STK10
2700mm




S/G Female Stile
STK7
6500mm



S/G Rail
CSD4
6500mm




D/G Male Stile
DGS96
4900 / 6500mm




D/G Interlock
DGS97
4900 / 6500mm




D/G Heavy Duty Interlock
DGS80
4900 / 6500mm




D/G UHD Interlock
DGS100
4900mm



3 Panel Adapter Single Glazed
DGS99
2700mm



D/G Female Stile
DGS82
6500mm



D/G UHD Female Stile
DGS101
4900mm



D/G Rail
DGS81
6000mm




Corner Adapter Male
STK8
2700mm

Comet Sliding Door Profiles



**Corner Adapter
Female**
STK9
2700mm



**Door to Window
Coupler**
BC95
6000mm



Sill Support Bar
20mm x 1.6mm
FB2016
4000mm

Hardware /Accessories



**Yarra View Edge
Sliding Lock**
YARRAVIEW



**Yarra View
4-Pin Cylinder**
YV-PIN CYLINDER



**Yarra View
Wafer Cylinder**
YV-WAFER CYLINDER



**Yarra View
Dummy Handle**
YV-DUMMYHANDLE



**Yarra View
Dummy Plate**
YV-DUMMY PLATE



Dummy Roller
3136
Box of 100 / or
separately



**40kg Single
Wheel Roller**
8179
Box of 100 /
or separately



**100kg Dual
Wheel Roller**
8358
Box of 100 /
or separately



**150kg Triple
Wheel Roller**
8387
Box of 50 / or
separately




**Bump Stop
Suit HPS95**
BS28
Bag of 100



**Door Stop
Black**
1690-B
Box of 100



**Door Stop
Satin Chrome**
1690-C
Box of 100



Fixing Block
FB5
Bag of 350



**Fixed Panel
Fixing Block**
LB1
Bag of 500




Interlock Block
LB4
Bag of 250

Comet Sliding Door Hardware/Accessories




**4.8mm x 5.5mm
Woolpile**
PB48550
Roll of 450m




**4.8mm x 7.5mm
Acoustic Seal**
QL48750
Roll of 600m




Interlock End Cap
Black / White / Grey
EC60
Box of 400



UHD End Cap
Suit DGS100 & DGS101
ECD70



27mm End Cap
Suit STK7 / DGS82
ECD27MM
Bag of 200



End Cap
Suit STK4
ECD32MM
Bag of 200



**Sill Baffle
Rubber**
PX0040
Roll of 300m



**Expansion
Seal Rubber**
PX0049
Pack of 60m



Head Gasket
GF95
Roll of 250 Pairs



Sill Gasket
Suit HPS95
GF97
Roll of 250 Pairs



Sill Gasket
Suit CSD9
GF96
Roll of 250 Pairs

Glazing Rubbers



**4mm Channel
Rubber**
PF0742
Roll of 100m



**5mm Channel
Rubber**
PF0843
Roll of 100m




**6mm Channel
Rubber**
PF636
Roll of 100m



**18mm Channel
Rubber**
PF0830
Roll of 150m

COMET STACKER DOOR

Mid-Range Stacker Door



With their clean lines and large glass area, The Comet Stacker Door brings natural light and a sense of space into any room. Through it's wide openings, the stacker system can open your home, giving you access to pergolas, sun decks and gardens. Available in 3 & 6 configurations.

PERFORMANCE

WERS

U-Value

3.0-6.2

SHGC

0.22-0.7

TVW

0.26-0.47

N3 Non-Exposed General

Serviceability
(+Pa)

UP TO
500

Ultimate Pressure
(Pa)

UP TO
2000


Water Penetration
(Pa)

UP TO
150

FEATURES


- 100kg dual rollers
- Sump sill drainage
- Optional security doors and tracks
- 18mm Double glazing
- 4mm-6.38mm Single glazing

Comet Stacker Door Profiles




Sill with Flytrack

STK30
3700 / 6500mm




Standard Sill

STK2
3700 / 6500mm



Head

STK1
3700 / 6500mm



Jamb

STK3
4900 / 6500mm




Threshold

CSD8
6500mm



**Flytrack Jamb/
Head**

STK5
3700 / 6500mm




**Door to Window
Coupler**

BC95
6000mm




**Sill Support Bar
12mm x 3mm**

FB123
3600mm




S/G Male Stile

CSD5
4900 / 6500mm




S/G Interlock

CSD6
4900 / 6500mm




**S/G Heavy
Duty Interlock**

STK4
4900 / 6500mm



**S/G Female
Stile**

STK7
6500mm



S/G Rail

CSD4
6500mm



D/G Male Stile

DGS96
4900 / 6500mm




D/G Interlock

DGS97
4900 / 6500mm




**D/G Heavy Duty
Interlock**

DGS80
4900 / 6500mm




**D/G UHD
Interlock**

DGS100
4900mm



**D/G Female
Stile**

DGS82
6500mm



**D/G UHD
Female Stile**


DGS101
4900mm



D/G Rail

DGS81
6000mm

Comet Stacker Door Profiles



**Corner Adapter
Male**
STK8
2700mm



**Corner Adapter
Female**
STK9
2700mm

Hardware /Accessories



**Yarra View Edge
Sliding Lock**
YARRAVIEW



**Yarra View
4-Pin Cylinder**
YV-PIN CYLINDER



**Yarra View
Wafer Cylinder**
YV-WAFER CYLINDER



**Yarra View
Dummy Handle**
YV-DUMMYHANDLE



**Yarra View
Dummy Plate**
YV-DUMMY PLATE



Dummy Roller

3136
Box of 100 / or
separately



**40kg Single
Wheel Roller**
8179
Box of 100 /
or separately



**100kg Dual
Wheel Roller**
8358
Box of 100 /
or separately



**150kg Triple
Wheel Roller**
8387
Box of 50 / or
separately



Bump Stop

BS1-BK



**Door Stop
Black**
1690-B
Box of 100



**Door Stop
Satin Chrome**
1690-C
Box of 100



**Fixed Panel
Fixing Block**
LB1
Bag of 500



Interlock Block

LB4
Bag of 250



**4.8mm x 5.5mm
Woolpile**
PB48550
Roll of 450m


Comet Stacker Door Hardware /Accessories




Interlock End Cap
Black / White / Grey
EC60
Box of 400



UHD End Cap
Suit DGS100 & DGS101
ECD70



27mm End Cap
Suit STK7 / DGS82
ECD27MM
Bag of 200



End Cap
Suit STK4
ECD32MM
Bag of 200



Sill Baffle Rubber
PX0040
Roll of 300m



Expansion Seal Rubber
PX0050
Pack of 60m



Head Gasket
GF100
Roll of 250 Pairs



Sill Gasket
GF101
Roll of 250 Pairs

Glazing Rubbers



4mm Channel Rubber
PF0742
Roll of 100m



5mm Channel Rubber
PF0843
Roll of 100m



6mm Channel Rubber
PF636
Roll of 100m




18mm Channel Rubber
PF0830
Roll of 150m

BUILT-IN-FLYTRACK APARTMENT

DOOR

High-End Apartment Door



The Titan Apartment Door has been designed to meet the demands of modern architects, providing larger openings without compromise. There is a range of glazing options available, with pre-glazed panels using channel rubbers as well as the option of onsite glazing for larger panels. Built-In Flytrack frames are now available in both 2-track and 3-track configurations for doors that require security or flyscreen doors. With a wide range of stile options available the it is the perfect option for modern apartments, commercial installations as well as high end residential homes.

PERFORMANCE

WERS

U-Value

N/A

SHGC

N/A

TVW

N/A

N3 Non-Exposed General

Serviceability
(+Pa)

UP TO
1200

Ultimate Pressure
(Pa)

UP TO
4000

Water Penetration
(Pa)

UP TO
360

Acoustic Ratings:


RW

27-36

FEATURES


- Integrates with the 10055-DG Centre Glazed System
- 150kg triple wheel rollers
- 100mm x 55mm/150mm x 55mm frame
- Evolution hardware
- Sump sill drainage
- Stainless steel bearing rollers
- A range of stiles available
- Sub framing available
- 24mm Double glazing
- 4mm-6.38mm Single glazing

Built-in-Flytrack Apartment Door Profiles




2 Track Head

CAD169
4500 / 6500mm



3 Track Head

CAD170
4500 / 6500mm




2 Track Sill

CAD167
4500 / 6500mm




3 Track Sill

CAD168
4500 / 6500mm



2 Track Jamb

CAD161
5000 / 6500mm




3 Track Jamb

CAD119
5000 / 6500mm




Threshold/Cover

CAD138
6500mm




Single Flytrack Jamb

CAD171
6500mm



Double Flytrack Jamb

CAD172
6500mm




Pocket Filler Suit Flytrack Jamb

CA305
3600mm



90mm Frame Filler

CA102
6500mm



Female/Lock Stile Suit Evolution Lock

CAD157
6500mm



58mm Lock Stile

CAD150
5000 / 6500mm



76mm Lock Stile

CAD152
6500mm



Wide Lock Stile

CAD146
6500mm



Male Stile

CAD156
6500mm



Interlock

CAD151
5000 / 6500mm




Wide Interlock

CAD148
6500mm



Heavy Duty Interlock


CAD124
6500mm




3 Panel Adapter

CAD018
3000mm


Built-in-Flytrack Apartment Door Profiles




**Bevelled Rail
Single Glazed**
CAD005
6500mm




**Beaded Rail
Single Glazed**
CAD114
6500mm




**Wide Beaded Rail
Single Glazed**
CAD143
6500mm




Rail
CAD118
6500mm




Boxed Rail
CAD025
6500mm




**Boxed Beaded
Rail**
CAD026
6500mm



**Heavy Duty Rail
Suit 8173 Rollers**
CAD142
6500mm



Wide Sill
CAD142
6500mm




**Wide Beaded
Rail**
CAD144
6500mm



S/G Rail Bead
CAD115
6500mm




D/G Rail Bead
CAD127
6500mm




S/G Reducer
CAD164
6500mm




Midrail
CAD120
6500mm



**2 Track
Reveal Adapter**
CA490
6500mm



**Ezy Reveal
Adapter**
CA450
6500mm



**Ezy Reveal
Adapter**
CA493
6500mm



**3 Track
Reveal Adapter**
CAD019
6500mm



Sill Support
Suit CAD167 & CAD168
FB2516
4000mm

Accessories



**Evolution Lock Kit
Black D-Handles**
EVOLUTION-KIT1



**Evolution Lock Kit
Black Flush Handles**
EVOLUTION-KIT2



**Evolution Lock Kit
Stainless Flush Handles**
EVOLUTION-KIT3



**Evolution Lock Kit
P/Coated D-Handles**
EVOLUTION-KIT4



**Evolution Lock Kit
P/Coated Flush Handles**
EVOLUTION-KIT5



**Yarra View Edge
Sliding Lock**
YARRAVIEW



**Yarra View
4-Pin Cylinder**
YV-PIN CYLINDER



**Yarra View
Wafer Cylinder**
YV-WAFER CYLINDER



**Yarra View
Dummy Handle**
YV-DUMMYHANDLE



**Yarra View
Dummy Plate**
YV-DUMMY PLATE



Dummy Roller
3136
Box of 100 / or
separately



**100kg Dual
Wheel Roller**
8358
Box of 100 /
or separately



**150kg Triple
Wheel Roller**
8387
Box of 50 / or
separately



**150kg Dual Wheel Roller
Suit CAD026 Rail**
8173
Box of 50 / or sepa-
rately



**200kg 5-Wheel
Roller**
8275
Box of 50



Bump Stop
BS2
Bag of 100



**Bump Stop
Black**
1690-B
Box of 100



**Bump Stop
Satin Chrome**
1690-C
Box of 100



Fixing Block
FB6
Box of 200



**Apartment Door
End Cap**
EC25
50 left / 50 right


Accessories




10mm Square Block
LB2
Box of 1000



6.9mm x 5.0mm Woolpile
PB69500
Roll of 400m



6.9mm x 6.5mm Acoustic Seal
QL69650
Roll of 600m



Heavy Duty Interlock End Cap
ECD124



10mm Hole Plug
HP10
Bag of 200



Sill Baffle Rubber
PX0040
Roll of 300m




Anti Binding Rubber
PF0630
Roll of 100m



2 Track Sill Gasket
ADG120
Roll of 100 Pairs



3 Track Sill Gasket
ADG200
Roll of 100 Pairs



Apartment door interlock
end cap - pairs L & R
LB5-R and LB5-L

Glazing Rubbers



4mm Channel Rubber
PF0742
Roll of 100m



5mm Channel Rubber
PF0843
Roll of 100m




6mm Channel Rubber
PF636
Roll of 100m



24.76mm Channel Rubber
PF0551
Roll of 50m

TITAN ENTRY DOOR

Mid-Range Hinge Door



Introducing the new Titan Entry Door, merging commercial-grade features into residential comfort. Elevate your living experience with state-of-the-art glazed frames that offer unmatched durability, superior insulation, and sleek, modern aesthetics. Designed to enhance energy efficiency and maximize natural light, these frames bring the sophistication of commercial architecture to your doorstep. Whether you prioritize sustainability, style, or functionality, The Titan Entry Door exceeds expectations, setting a new standard for luxury living. It features a 30mm height x 125mm depth frame size, and can be used with 4mm - 10.5mm single glazing, or 24mm - 32mm double glazing.

PERFORMANCE

WERS

U-Value

3.1-5.9

SHGC

0.17-0.57

TVW

0.15-0.59

N3 Non-Exposed General

Serviceability
(+Pa)

UP TO
500

Ultimate Pressure
(Pa)

UP TO
2000


Water Penetration
(Pa)

UP TO
150


FEATURES

- Stand alone system (can accept fixed lites - all Alures range of Awning Sashes and Sashless Units)
- Square cut frame
- Open in and open out
- Adapted Flydoor
- Timber door panels in standard sizes


Titan Entry Door Profiles




Titan Entry Door Frame
DJ125
125 x 32
6000mm



Titan Entry Door Jamb
DJ129
125 x 22.5
6000mm




Titan Entry Door Hook Hinge Frame
DJ130
6000mm




Titan Entry Door Sill
DJ126
600mm




Titan Entry Door Double Glazing Bead
DJ128
To suit DJ127
6000mm



Double to Single Glazing Bead
DJ127
To suit DJ127
6000mm




135mm Threshold
DJ135
6000mm



44mm Door Stop
DJ132
To suit DJ125 + DJ129
6000mm




40mm Timber Door Stop Reducer
DJ133
To suit DJ132
6000mm




Frame Coupler
DJ134
To suit DJ125 + DJ129
6000mm



D/Glazed to S/Glazed Pocket Adapter
DF610
6500mm




S/Glazed Pocket Insert
DF606
6500mm



Sub Sill
SS12
125mm Titan System
6000mm



D/Glazed Pocket Filler
DF605
6500mm




Sash Stop
DJ131
6000mm



Lock Stile Single Glazed
CD213
6500mm



Hinge Stile Single Glazed
CD214
6500mm



Mating Stile Single Glazed
BF5
6500mm




S/G Door Repate Style
CD240
6000mm




Wide Lock Stile Single Glazed
CD300
6500mm

Titan Entry Door Profiles




**Wide Hinge Stile
Single Glazed**
CD301
6500mm




**Rail
Single Glazed**
CD200
6500mm



**Wide Rail
Single Glazed**
CD201
6500mm



**Midrail
Single Glazed**
CD203
6500mm




**Midrail
Single Glazed**
CD204
6500mm



**Rail Bead
Single Glazed**
CD202
6500mm




**Meeting Stile
Adapter**
CA436
4800mm




**Single Glazed
Reducer**
CD221
6500mm



**200mm SG
Midrail**
CD320
6500mm



**Lock Stile
Deep Pocket**
DG920
6500mm




**Hinge Stile
Deep Pocket**
DG921
6500mm



**D/G Deep Pocket
Rebate Style**
DG940
6500mm



**Mating Stile
Deep Pocket**
DG922
6500mm



**Wide Lock Stile
Deep Pocket**
DG930
6500mm




**Wide Hinge Stile
Deep Pocket**
DG931
6500mm




**Lock Stile
Double Glazed**
DG900
6500mm



**Hinge Stile
Double Glazed**
DG902
6500mm



**Mating Stile
Double Glazed**
BF7
6500mm




**Wide Lock Stile
Double Glazed**
DG910
6500mm



**Wide Hinge Stile
Double Glazed**
DG906
6500mm


Titan Entry Door Profiles



**Rail
Double Glazed**
DG904
6500mm




**Wide Rail
Double Glazed**
DG905
6500mm



**100mm Midrail
Double Glazed**
DG911
6500mm



**Rail Bead
Double Glazed**
CD318
6500mm



**44mm Midrail
Double Glazed**
DG912
6500mm

Titan Entry Door Hardware/Accessories



**Edge Lock Kit
Satin Chrome**
XPL508-SC



**Edge Lock Kit
Black**
XPL508-SB



**Edge Lock Kit
Pearl White**
XPL508-PW



**Twin-Bolt Rod
Kit**
P33096



**1m Rod
Extension Kit**
P84017



**250mm Flush Bolt
Satin Chrome**
DN201-SC



**250mm Flush Bolt
Black**
DN201-BLK




**Fast Fix Hinge
Anodised**
AH130CAN




**Fast Fix Hinge
Black**
AH130BLK




**Fast Fix Hinge
White**
AH130WH



**Standard Door
Spigot**
CD218
Set of 4



**Deep Pocket Door
Spigot**
DS918
Set of 4



Flush Bolt Guide
FB1
Bag of 100



Flush Bolt Ferrule
Black
DN205



**Q-Lon Door Stop
Seal**
AQ21
Roll of 250m

Titan Entry Door Hardware/Accessories



Sub Sill End Cap
ECD12
To suit SS12



Frame Gasket
GF125
To suit DJ125 +
DJ129



Titan Entry Gasket
GF135
To suit DJ135



Titan Entry Gasket
GF126
To suit DJ127



Sill Baffle Rubber
PX0040
Roll of 300m



Woolpile
3mm x 13mm
PS13
Roll of 450m




Weep Hole Cover
WHC1239
Bag of 100




Apartment Door End Cap
EC25
50 left / 50 right

Titan Entry Door Glazing Rubbers



Wedge Rubber
5mm
PF0774-4
Roll of 200m



Wedge Rubber
6mm
PF0774-5
Roll of 200m



Wedge Rubber
24mm
PX0084
Roll of 250m



Captive Wedge Rubber
24mm
PX0646
Roll of 150m

WINDSOR BI-FOLD DOOR

Commercial Grade Bi-Fold



The advantage of the Windsor Bi-fold door is how they fold open to create the large openings for alfresco living. Bi-fold doors create a unique space, giving a sense of freedom to your project. Our most popular door can be used in both modern and traditional homes.

PERFORMANCE

WERS

U-Value

3.2-6.0

SHGC

0.17-0.57

TVW

0.18-0.59

N2 Non-Exposed General

Serviceability
(+Pa)

UP TO
700

Ultimate Pressure
(Pa)

UP TO
1000


Water Penetration
(Pa)

UP TO
200

FEATURES

- 90kg Fully adjustable hardware
- AQ-21 foam door seals
- Edge hardware 3 point locking lever handles
- Sump sill option
- Dual seal door stiles
- One piece head
- 24mm Double glazing
- 4mm-6.38mm Single glazing

Windsor Bi-Fold Door Profiles



Head

BF1
4500 / 6500mm



Jamb / Frame

CA460
6500mm




Jamb Adapter

BF3
6500mm




**Pocket Filler
Suit CA460**

CA409
6500mm



**Open Out Sill
With Sump**

BF2
6500mm



**Open In Sill
Slotted**

BF10
6500mm



**Open Out Sill
Requires Subsill**

BF13
6500mm



**Low Step Sill
Open In/Open Out**

BF14
6500mm



**Channel Sill
Open In/Open Out**

BF11
6500mm



**Mating Stile
Single Glazed**

BF4
2800 / 6500mm



**Mating Stile
Single Glazed**

BF5
6500mm



**Lock Stile
Single Glazed**

CD213
6500mm



**Rail
Single Glazed**

CD200
6500mm




**Wide Rail
Single Glazed**

CD201
6500mm



**Midrail
Single Glazed**

CD203
6500mm



**Midrail
Single Glazed**

CD204
6500mm



**Rail Bead
Single Glazed**

CD202
6500mm



**Meeting Stile
Adapter**

CA436
4800mm



**Bi-Fold Stile
Deep Pocket**


DG923
6500mm




**Mating Stile
Deep Pocket**

DG922
6500mm


Windsor Bi-Fold Door Profiles



**Lock Stile
Deep Pocket**
DG900
6500mm



**Bi-Fold Stile
Double Glazed**
BF8
2800 / 6500mm




**Mating Stile
Double Glazed**
BF7
6500mm




**Lock Stile
Double Glazed**
DG900
6500mm




**Rail
Double Glazed**
DG904
6500mm



**Wide Rail
Double Glazed**
DG905
6500mm



**44mm Midrail
Double Glazed**
DG912
6500mm



**100mm Midrail
Double Glazed**
DG911
6500mm



**Rail Bead
Double Glazed**
CD318
6500mm



**Meeting Stile
Adapter**
CA436
4800mm

Hardware /Accessories



**Edge Lock Kit
Satin Chrome**
XPL508-SC



**Edge Lock Kit
Black**
XPL508-SB



**Edge Lock Kit
Pearl White**
XPL508-PW



**Twin-Bolt Rod
Kit**
P33096



**1m Rod
Extension Kit**
P84017

Accessories



**Twin-Bolt Lock Kit
Black
Non-Locking
EDGE-KIT 1**



**Twin-Bolt Lock Kit
Satin Chrome
Non-Locking
EDGE-KIT 2**



**Twin-Bolt Lock Kit
Black
Locking
EDGE-KIT 3**



**Twin-Bolt Lock Kit
Satin Chrome
Locking
EDGE-KIT 4**



**Twin-Bolt Lock Kit
Black
Non-Locking
INTERLOCK-KIT 1**



**Twin-Bolt Lock Kit
Satin Chrome
Non-Locking
INTERLOCK-KIT 2**




**1m Rod
Extension Kit
P84017**




**250mm Flush Bolt
Black
DN201-BLK**



**250mm Flush Bolt
Satin Chrome
DN201-SC**



**Flush Bolt Guide
FB7
Bag of 100**



**Pivot Set
Left Hand
93-101C**



**Pivot Set
Right Hand
93-103C**



**Offset End Carrier Set
Left Hand
93-291**



**Offset End Carrier Set
Left Hand
93-293**



**Meeting Carrier
Set
93-299**



**Intermediate
Carrier Set
93-400**



**Offset Carrier Set
Left Hand
93-491**



**Offset Carrier Set
Right Hand
93-493**



**Hinge Handle Set
Standard
93-320**



**Hinge Handle Set
Offset
93-370**

Accessories



Hinge Set Standard
93-300



Hinge Set Offset
93-350



Standard Handle
93-321




Offset Handle
93-371




Centre Snubber
93-SN001



Bi-Fold Drilling Jig
93-DJ200



Standard Door Spigot
CD218
Set of 4



Deep Pocket Door Spigot
DS918
Set of 4



Hold Open Door Stop Black
DN227



35mm Magnetic Catch
MC100



12.5mm Magnetic Catch
MC101



Q-Lon Door Stop Seal
AQ21
Roll of 250m



Q-Lon Door Stop Seal with Backing
QEZ48
Roll of 305m



Bi-Fold Rubber Stile Seal
PX0648
Roll of 200m



Sill Baffle Rubber
PX0040
Roll of 300m




Sill Gasket Suit BF2
BFG100
Roll of 100 Pairs




Sill Gasket Suit BF10/BF13/BF14
BFG102
Roll of 250 Pairs

Accessories



**Wedge Rubber
5mm**
PF0774-4
Roll of 200m



**Wedge Rubber
6mm**
PF0774-5
Roll of 200m



**Wedge Rubber
24mm**
PX0084
Roll of 250m



**Captive Wedge Rubber
24mm**
PX0646
Roll of 150m

LOUVERS, PRIVACY SCREENS AND BATTENS



Add value to your home or office with our selection of privacy screens and louvers. Our range includes high-density commercial and residential options, which provide sunshade and privacy for your property.

The Privacy Screen system is a simple, low cost and easy to install system and is ideal for a range of applications.


The External Batten System is a brand new system available in a range of sizes. Perfect for decorative fencing, window privacy screens as well as building facades.

We offer a range of wood-grain finishing across our entire range of products - Louvre's and Privacy Screen are especially well suited and the results are stunning.

FEATURES


- Louvers available in flat and elliptical blade shapes
- A range of louver sizes from 60mm up to 175mm
- Compatible with a range of applications including privacy screening and fencing, right up to full building facades
- Available in powdercoat finishes as well as the stylish wood-grain finishing

Battens Profiles




90mm Frame

F100
6000mm




100mm Frame

CA437
6500mm



**100mm Frame
With Reveal Leg**

CAD163
6500mm



150mm Frame

CA600
6000mm



**Pocket Filler
Suit CA600**

CA409
6500mm



**75mm Louvre
Blade**

CL108
6500mm




**100mm Louvre
Blade**

CL102
6500mm



**60mm Elliptical
Blade**

EB60
6500mm



**80mm Elliptical
Blade**

EB80
6500mm



**100mm Elliptical
Blade**

EB100
6500mm



**150mm Elliptical
Blade**

EB150
6500mm



**175mm Elliptical
Blade**


EB175
6500mm




**Privacy Screen
Channel**

C202016
6500mm


Battens Profiles



50mm Batten Base
BTB
6500mm




50mm Batten
BT50
6500mm




100mm Batten
BT100
6500mm




150mm Batten
BT150
6500mm



200mm Batten
BT200
6500mm



300mm Batten
BT300
6500mm



26mm Back Adapter
BT26
6500mm




47mm Batten
BT47
6500mm




End Cap to suit 47mm Batten
ECB47
Sold loose

Louvers, Privacy Screens and


Battens Hardware and Accessories




Batten Cap Suit BT50
ECB-50



Batten Cap Suit BT100
ECB-100



Batten Cap Suit BT150
ECB-150



Batten Cap Suit BT200
ECB-200



17 Broadfield Rd Broadmeadows VIC 3047

03 9357 2888

www.conceptaluminium.com.au

