
# Platinum Package







# **Classic E**





#### FEATURES

Electronic twin-head cutting-off machine with automatic traverse of the moving cutting head powered by brushless motor with numerical control system. Pneumatic control of the angular setting in three fixed positions 90°, 45° and 22°30' (external) or with mechanic system for manual adjustment of intermediate angles. Hydro-pneumatic blade feed

- One-piece heavy-duty construction (eliminates variables for calibration errors) with 500mm blades
- Automatic X axis movement (25m/min)
- Pneumatic head tilting in three fixed positions (90°, 45° and 22.3° external angles)
- Intermediate angles by means of manually adjustable stops
- Pneumatic clamping with oil mist spray for blades
- Hydro pneumatic blade feed
- 7" touch screen display with multiple functions and shortcuts
- Cutting list optimisation for connection Logikal software
- USB port
- Pneumatically controlled safety guards

## **Phantomatic M3**





#### FEATURES

CNC machining centre, with 3 controlled axes; the spindle has an automatic tool slewing system on 3 fixed positions that allows processing on 3 sides of the workpiece. Designed for machining bars or parts made of aluminium, PVC, light alloys in general or steel up to 2 mm. It is provided with a manual tool storage magazine with 9 places to which one or two additional automatic storage magazines with 4 places can be added at the sides of the machine.

- One-piece heavy-duty construction (eliminates variables for calibration errors) and 3+1 axis and X axis speed 56m/min
- Spindle that rotates in three fixed positions between 0° and 180° to machine and mill three sides of the profile
- 8 place tools inside machine
- Capable of machining bars of aluminium, steel and PVC up to 5.2m in length, left and right pneumatic reference stops
- Automatic clamp positioning and Oil mist spray for head
- Simple windows-based software, USB port
- Connection to Logikal software and 9 place additional tool draw
- Automatic safety guard



## Emmegi MSP400 Compound Single Mitre Saw





#### FEATURES

Single-head, descending blade cutting-off machine with left loading side, rotation of the cutting head to 45° (left and right) and manual tilting by 45° referred to the horizontal axis.

- One-piece heavy-duty base
- 400mm diameter blade
- Pneumatic horizontal clamping
- Oil mist spray
- Fixed stops at -45°, 90° and +45°
- Head tilting for compound mitres
- 3 phase brake motor
- Roller bearing system to ensure smooth head movement
- Gas-strut for soft head return
- Locking pin for quick and easy blade changes

## **Roller Conveyor**





#### FEATURES

- 6.0 meters in length
- 20 PVC coated rollers
- Designed to suit the MSP 400



# **PROFI STOP 4.5m Digital Stop**





#### FEATURES

The ALPHA advanced digital length stop system is a simple soloution for high-speed cutting-to-length of aluminium profiles. Simple to run operation with exceptional cutting productivity compared to manual cutting. Capabilities to process large and complex jobs fast and streamlines, while remaining easy to use.

- Heavy-duty table with fast and accurate stop
- Auto length stop and push feeding capabilities
- Easy-to-use touch screen tablet
- Connection to cutting lists from Logikal software

### **Emmegi EDGE Rotating Expandable Work Bench**





#### FEATURES

Expandable work bench perfect for the assembly of window and door frames. The sliding and extendble top allows opertaions with all size frames and very big structures in complete saftey.

- 250kg load capacity
- Pneumatic system with 2 quick-connect taps
  - Sliding and width-adjustable supporting tables
- Height adjustable work bench
- Soft PVC contact surface
- Feet with holes for ground fixing
- Sliding and length-adjustable supporting table
- Small parts containers
- Benches for laying tools and accessories



## **Emmegi Acca XL Expandable Work Bench**





#### FEATURES

Expandable work bench perfect for the assembly of window and door frames. The sliding and extendble top allows opertaions with all size frames and very big structures in complete saftey.

- 250kg load capacity
- Pneumatic system with 2 quick-connect taps
- Sliding and width-adjustable supporting tables
- Height adjustable work bench
- Soft PVC contact surface
- Feet with holes for ground fixing
- Sliding and length-adjustable supporting table
- Small parts containers
- Benches for laying tools and accessories







www.conceptaluminium.com.au

03 9357 2888

17 Broadfield Rd Broadmeadows VIC 3047