



Interpon[®]
POWDER COATINGS

Living Colors

Your imagination starts with our finish

AkzoNobel

| Color Name | Technology | Code | | Color Group | LRV |
|-----------------------|--------------|--------|--|------------------|-----|
| Anodic Bronze | D1000 | GY114A | | Anodic | 12% |
| Anodic Clear | D1000 | GY221A | | Anodic | 55% |
| Anodic Dark Grey | D1000 | GL213A | | Anodic | 7% |
| Anodic Natural | D1000 | GY235A | | Anodic | 42% |
| Anodic Off White | D1000 | GD227A | | Anodic | 74% |
| Anodic Silver Grey | D1000 | GL237A | | Anodic | 48% |
| APO Grey | D1000 | GL107A | | Living Series | 46% |
| Barley | D1000 | GD007A | | Living Series | 63% |
| Black | D1000 | GN150A | | Living Series | 4% |
| Black Matt Low MAR | D1000 | GN279A | | Living Series | 4% |
| Black Onyx | D1000 | GY042A | | Living Series | 7% |
| Blaze Blue | 610 | MJ034A | | Color Energy | 18% |
| Bright Silver | 610 | MW201T | | Silvers & Clears | 43% |
| Bright White | D1000 | GA030A | | Living Series | 81% |
| Claret | D1000 | GG142A | | Living Series | 6% |
| Classic Pearl White | D1000 | GA073A | | Living Series | 91% |
| Coral Black | D1000 | GN063A | | Living Series | 4% |
| Custom Black | D1000 | GN248A | | Living Series | 4% |
| Deep Pool | 610 | MK002A | | Color Energy | 20% |
| Doeskin | D1000 | GD188A | | Living Series | 44% |
| Easy Clean Clear | 200 | UZ607I | | Silvers & Clears | 59% |
| Excel™ Basalt™ | D1000 Excel™ | GP108A | | Excel™ | 13% |
| Excel™ Basalt™ | D1000 Excel™ | GP208A | | Excel™ | 14% |
| Excel™ Bluegum | D1000 Excel™ | GL223A | | Excel™ | 24% |
| Excel™ Bluegum | D1000 Excel™ | GL200A | | Excel™ | 24% |
| Excel™ Bushland® | D1000 Excel™ | GS103A | | Excel™ | 24% |
| Excel™ Bushland® | D1000 Excel™ | GK203A | | Excel™ | 25% |
| Excel™ Charcoal | D1000 Excel™ | GL035A | | Excel™ | 6% |
| Excel™ Charcoal | D1000 Excel™ | GL180A | | Excel™ | 7% |
| Excel™ Classic Cream® | D1000 Excel™ | GD245A | | Excel™ | 67% |
| Excel™ Classic Cream® | D1000 Excel™ | GU145A | | Excel™ | 67% |
| Excel™ Cottage Green® | D1000 Excel™ | GS174A | | Excel™ | 10% |
| Excel™ Cottage Green® | D1000 Excel™ | GK274A | | Excel™ | 11% |
| Excel™ Deep Ocean® | D1000 Excel™ | GJ203A | | Excel™ | 9% |
| Excel™ Deep Ocean® | D1000 Excel™ | GQ103A | | Excel™ | 9% |
| Excel™ Domain® | D1000 Excel™ | GD230A | | Excel™ | 67% |
| Excel™ Dover® | D1000 Excel™ | GA263A | | Excel™ | 83% |
| Excel™ Dune® | D1000 Excel™ | GP152A | | Excel™ | 40% |
| Excel™ Dune® | D1000 Excel™ | GL252A | | Excel™ | 41% |
| Excel™ Evening Haze® | D1000 Excel™ | GM235A | | Excel™ | 51% |

| Color Name | Technology | Code | | Color Group | LRV |
|-----------------------|--------------|--------|--|-------------|-----|
| Excel™ Evening Haze® | D1000 Excel™ | GT135A | | Excel™ | 52% |
| Excel™ Gully™ | D1000 Excel™ | GM242A | | Excel™ | 20% |
| Excel™ Harvest® | D1000 Excel™ | GD215A | | Excel™ | 45% |
| Excel™ Hawthorn Green | D1000 Excel™ | GK030A | | Excel™ | 7% |
| Excel™ Headland® | D1000 Excel™ | GV119A | | Excel™ | 13% |
| Excel™ Heritage Green | D1000 Excel™ | GK044A | | Excel™ | 6% |
| Excel™ Ironstone® | D1000 Excel™ | GL236A | | Excel™ | 11% |
| Excel™ Ironstone® | D1000 Excel™ | GP136A | | Excel™ | 11% |
| Excel™ Jasper® | D1000 Excel™ | GM214A | | Excel™ | 15% |
| Excel™ Jasper® | D1000 Excel™ | GT114A | | Excel™ | 16% |
| Excel™ Mangrove™ | D1000 Excel™ | GK277A | | Excel™ | 17% |
| Excel™ Manor Red® | D1000 Excel™ | GG262A | | Excel™ | 9% |
| Excel™ Manor Red® | D1000 Excel™ | GV162A | | Excel™ | 9% |
| Excel™ Monument® | D1000 Excel™ | GL229A | | Excel™ | 8% |
| Excel™ Monument® | D1000 Excel™ | GP129A | | Excel™ | 8% |
| Excel™ Night Sky® | D1000 Excel™ | GN231A | | Excel™ | 4% |
| Excel™ Night Sky® | D1000 Excel™ | GN121A | | Excel™ | 4% |
| Excel™ Pale Eucalypt® | D1000 Excel™ | GS136A | | Excel™ | 24% |
| Excel™ Pale Eucalypt® | D1000 Excel™ | GK236A | | Excel™ | 25% |
| Excel™ Paperbark® | D1000 Excel™ | GD214A | | Excel™ | 50% |
| Excel™ Paperbark® | D1000 Excel™ | GU114A | | Excel™ | 50% |
| Excel™ Pearl White® | D1000 Excel™ | GA029A | | Excel™ | 89% |
| Excel™ Primrose | D1000 Excel™ | GD031A | | Excel™ | 72% |
| Excel™ Riversand® | D1000 Excel™ | GM204A | | Excel™ | 33% |
| Excel™ Shale Grey® | D1000 Excel™ | GL284A | | Excel™ | 49% |
| Excel™ Shale Grey® | D1000 Excel™ | GP184A | | Excel™ | 49% |
| Excel™ Southerly® | D1000 Excel™ | GL224A | | Excel™ | 58% |
| Excel™ Surfmist® | D1000 Excel™ | GB136A | | Excel™ | 66% |
| Excel™ Surfmist® | D1000 Excel™ | GA236A | | Excel™ | 69% |
| Excel™ Terrain™ | D1000 Excel™ | GM143A | | Excel™ | 10% |
| Excel™ Terrain™ | D1000 Excel™ | GM243A | | Excel™ | 9% |
| Excel™ Wallaby™ | D1000 Excel™ | GL111A | | Excel™ | 18% |
| Excel™ Wallaby™ | D1000 Excel™ | GL210A | | Excel™ | 18% |
| Excel™ Wollemi™ | D1000 Excel™ | GK243A | | Excel™ | 8% |
| Excel™ Wilderness® | D1000 Excel™ | GS189A | | Excel™ | 18% |
| Excel™ Wilderness® | D1000 Excel™ | GK289A | | Excel™ | 19% |
| Excel™ Windspray® | D1000 Excel™ | GP166A | | Excel™ | 27% |
| Excel™ Windspray® | D1000 Excel™ | GL266A | | Excel™ | 28% |
| Excel™ Woodland Grey® | D1000 Excel™ | GL205A | | Excel™ | 12% |
| Excel™ Woodland Grey® | D1000 Excel™ | GP105A | | Excel™ | 12% |

Living Colors

Interpon is the stand-out performer for architects and fabricators looking to bring their creations to life and leave a lasting legacy to inspire future generations. This means providing the colors and finishes to make your creations look amazing, for long into the future. Our in-house color experts use deep insight and scientific research to anticipate and predict movements in trends that affect color and coating choices for architectural applications. We have drawn on the knowledge of our global Aesthetics Centre, along with our own Australian insights, to produce this residential and industrial powder coatings collection – Living Colors.

The Interpon Ranges

Interpon 610

Interpon 610, Interpon 700 ranges feature higher transfer efficiency, excellent coverage and high levels of damage resistance, and are available in an extensive selection of brighter colors, ripples and textures.

Interpon D1000 / Interpon D1000 Excel™

The D1000 is a highly durable range of powder coatings. Interpon D1000 Excel™ has been developed to improve on the benefits of D1000 for applications over porous substrates, such as hot dip galvanised steel and castings, providing greater application tolerance and improved film appearance, while still suitable for aluminum and steel substrates.

Interpon A2000

For automotive trim components, Interpon A2000 travels around the world to protect and decorate vehicles for the most demanding OEM manufacturers. A2000 powders are designed for success as exterior and interior applications.

Redox for Steel Substrates

Interpon Redox primers provide a total corrosivity solution, enabling products to withstand whatever the world can throw at them, and remain fully operational long into the future.

| Color Name | Technology | Code | Color Group | LRV |
|--------------------------|------------|--------|-------------|--------------------|
| Flame Red | 610 | MG071A | | Color Energy 11% |
| French Blue | 610 | MJ067A | | Color Energy 13% |
| Hammersley Brown | D1000 | GM100A | | Living Series 8% |
| Hammer Mystique | 610 | MW415C | | Ripple 13% |
| Lawn Green | 610 | MK038A | | Color Energy 12% |
| Leimon Yellow | 610 | ME068A | | Color Energy 66% |
| Magnolia | D1000 | GD025A | | Living Series 63% |
| MetaPrep™ Grey | 700 | EL286A | | Primer 47% |
| Notre Dame | D1000 | GL040A | | Living Series 16% |
| Off White | D1000 | GA211A | | Living Series 71% |
| Olde Pewter | D1000 | GL175A | | Living Series 20% |
| Orange X15 | 610 | MF035A | | Color Energy 28% |
| Oyster Grey | D1000 | GL258A | | Living Series 60% |
| Pearl White | D1000 | GA078A | | Living Series 89% |
| Pottery | D1000 | GM175A | | Living Series 39% |
| Primrose | D1000 | GD037A | | Living Series 70% |
| PZ560 Zinc | 100 | BL103K | | Primer 13% |
| PZ790 | 100 | ALZ90F | | Primer 15% |
| RF Isuzu Arc White Gloss | A2000 | GP072A | | Auto Auxiliary 68% |
| Ripple APO Grey | 610 | ML463A | | Ripple 43% |
| Ripple Black | 610 | MN427A | | Ripple 4% |
| Ripple Graphite | 700 | EY422A | | Ripple 10% |
| Ripple RAL 7032 | 610 | MP476A | | Ripple 44% |
| Ripple RAL 7035 | 610 | ML435A | | Ripple 58% |
| Ripple White | 610 | MA494A | | Ripple 92% |
| Ripple X15 Orange | 610 | MF406A | | Ripple 29% |
| Rivergum | D1000 | GD042A | | Living Series 65% |
| Safety Yellow | 610 | ME096A | | Color Energy 45% |
| Safety Yellow | 610 | ME396A | | Color Energy 43% |
| Shoji White | D1000 | GA160A | | Living Series 78% |
| Signal Red | 610 | MG036A | | Color Energy 13% |
| Space Blue | 610 | MJ008A | | Color Energy 7% |
| Sterling White Gloss | A2000 | GA006A | | Auto Auxiliary 78% |
| Stone Beige | D1000 | GD247A | | Living Series 47% |

| Color Name | Technology | Code | Color Group | LRV |
|--------------------------------|------------|--------|-------------|---------------------|
| Storm Grey N42 | D1000 | GL060A | | Living Series 30% |
| Textura® White | D1000 | GA330A | | Textura® 87% |
| Textura® Surfmist® | D1000 | GA336A | | Textura® 67% |
| Textura® Primrose | D1000 | GD331A | | Textura® 69% |
| Textura® Paperbark® | D1000 | GD314A | | Textura® 52% |
| Textura® Dune® | D1000 | GL352A | | Textura® 58% |
| Textura® Silver | D1000 | GY35LA | | Textura® 38% |
| Textura® Ironstone® | D1000 | GL336A | | Textura® 11% |
| Textura® Deep Ocean® | D1000 | GJ301A | | Textura® 9% |
| Textura® Jasper® | D1000 | GM314A | | Textura® 15% |
| Textura® Woodland Grey® | D1000 | GL333A | | Textura® 12% |
| Textura® Monument® | D1000 | GL329A | | Textura® 8% |
| Textura® Black | D1000 | GN305A | | Textura® 5% |
| Textura® Bass | D1000 | GY397A | | Textura® 7% |
| Textura® Brilliance | D1000 | GY37AA | | Textura® 16% |
| Textura® Asteroid | D1000 | GY37BA | | Textura® 11% |
| Textura® Core Ten | D1000 | GX350A | | Textura® 8% |
| Textura® Basalt | D1000 | GP308A | | Textura® 8% |
| Toyota Graphite 1G3 | A2000 | GY010A | | Auto Auxiliary 9.6% |
| Toyota White 040 Gloss | A2000 | GA019A | | Auto Auxiliary 79% |
| Toyota White 058 Gloss | A2000 | GA059A | | Auto Auxiliary 75% |
| Transformer Grey | D1000 | GL031A | | Living Series 30% |
| Vivica™ Asteroid Pearl | D1000 | GY270A | | Vivica™ 10% |
| Vivica™ Charcoal Metallic | D1000 | GM019A | | Vivica™ 7% |
| Vivica™ Charcoal Pearl | D1000 | GY237A | | Vivica™ 6% |
| Vivica™ Citi® | D1000 | GL211A | | Vivica™ 44% |
| Vivica™ Mercury Silver | D1000 | GW003K | | Vivica™ 51% |
| Vivica™ Nobel Silver Pearl | D1000 | GY119A | | Vivica™ 31% |
| Vivica™ Nuance Silver Pearl | D1000 | GW104C | | Vivica™ 35% |
| Vivica™ Palladium Silver Pearl | D1000 | GY184C | | Vivica™ 30% |
| Vivica™ Storm Front | D1000 | GL249A | | Vivica™ 13% |
| Vivica™ Ultra Silver | D1000 | GY070A | | Vivica™ 41% |
| White | D1000 | GA124A | | Living Series 89% |
| White Birch | D1000 | GA057A | | Living Series 85% |
| Yellow Gold | 610 | ME038A | | Color Energy 52% |

Transparency and reliability

Creating futures that last

You can rely on us. Our Interpon D1000 range delivers on its promised durability levels in terms of color retention and film integrity.

- Offering up to 10 years global warranty on the coating performance when applied by an Interpon D Approved Applicator.
- Meets the performance requirements of AAMA 2603.



Building a sustainable future

The Interpon D1000 range is one of a family of products that is not just helping us to imagine the future; it is also protecting it. Backed by an Environmental Product Declaration (EPD), the raw materials, manufacture and transportation associated with creating Interpon D have been assessed by an independent third-party for transparent sustainability credentials.



Color Freedom

Color and finish are a crucial element of your design, which is why we've created our **made-to-order color service**. For smaller projects down to 20kg, Interpon MiniB™ and Interpon MiniB™ Micro provides fast service on small batch made-to-order colors that are specific to your needs. Some conditions do apply such as choice of color and product. Please contact the Interpon Customer Care Team for additional advice.

Interpon D Approved Applicators

The Interpon D Approved Applicators Network has been designed to ensure the Interpon solution you choose is applied correctly and meets the warranty requirements to local and international standards. To view all Interpon D Approved Applicators please visit specifyinterpon.com.au.

How to Specify Interpon Powder Coatings

For your project, it's important to use the correct product. That's why we make specifying Interpon powder coatings easy. Simply:

- Nominate the Interpon product. e.g. Interpon D1000.
- Nominate the color, finish and product code. e.g. Anodic Natural Matt GY235A.

Then to find your nearest Interpon applicator, please contact your Interpon representative or the Interpon Customer Care Team.

Exterior Durable Color Range


Interpon Excel™ D1000 Degassing technology provides smoother films over porous substrates.



Excel™ Pearl White®
Gloss GA029A




Excel™ Domain®
Matt GD230A



Excel™ Primrose
Gloss GD031A



Excel™ Classic Cream®
Matt GD245A | Satin GU145A



Excel™ Surfmist®
Matt GA236A | Satin GB136A



Excel™ Evening Haze®
Matt GM235A | Satin GT135A



Excel™ Shale Grey®
Matt GL284A | Satin GP184A



Excel™ Dune®
Matt GL252A | Satin GP152A



Excel™ Harvest®
Matt GD215A



Excel™ Paperbark®
Matt GD214A | Satin GU114A




Excel™ Gully™
Matt GM242A




Excel™ Jasper®
Matt GM214A | Satin GT114A



Excel™ Headland®
Satin GV119A



Excel™ Manor Red®
Matt GG262A | Satin GV162A



Excel™ Terrain™
Matt GM243A | Satin GM143A



Excel™ Woodland Grey®
Matt GL205A | Satin GP105A



Excel™ Riversand®
Matt GM204A



Excel™ Windspray®
Matt GL266A | Satin GP166A




Excel™ Basalt™
Matt GP208A | Satin GP108A



Excel™ Ironstone®
Matt GL236A | Satin GP136A




Excel™ Bushland®
Matt GK203A | Satin GS103A



Excel™ Wallaby™
Matt GL210A | Satin GL111A



Excel™ Deep Ocean®
Matt GJ203A | Satin GQ103A



Excel™ Monument®
Matt GL229A | Satin GP129A



Excel™ Pale Eucalypt®
Matt GK236A | Satin GS136A



Excel™ Wilderness®
Matt GK289A | Satin GS189A



Excel™ Mangrove™
Matt GK277A




Excel™ Cottage Green®
Matt GK274A | Satin GS174A



Excel™ Hawthorn Green
Gloss GK030A



Excel™ Heritage Green
Gloss GK044A




Excel™ Charcoal
Gloss GL035A | Satin GL180A



Excel™ Night Sky®
Matt GN231A | Satin GN121A



Excel™ Dover
Matt GA263A



Excel™ Southerly Matt
Matt GL224A




Excel™ Wollemi
Matt GK243A



Excel™ Bluegum
Matt GL223A | Flat Matt GL200A

Interpon D1000 Living Series A classic range of local favorites in subtle and neutral shades.



Bright White
Gloss GA030A




White Satin
Satin GA124A




Pearl White
Gloss GA078A




Classic Pearl White
Gloss GA073A




Shoji White
Satin GA160A



White Birch
Gloss GA057A




Off White
Matt GA211A




Oyster Grey
Matt GL258A



APO Grey
Satin GL107A




Primrose
Gloss GD037A



Magnolia
Gloss GD025A



Doeskin
Satin GD188A



Rivergum
Gloss GD042A



Barley
Gloss GD007A



Stone Beige
Matt GD247A




Pottery
Satin GM175A



Storm Grey N42
Gloss GL060A



Olde Pewter
Satin GL175A




Claret
Satin GG142A




Transformer Grey
Gloss GL031A




Notre Dame
Gloss GL040A



Hamersley Brown
Satin GM100A



Coral Black
Gloss GN063A



Custom Black
Matt GN248A



Black Satin
Satin GN150A



Black Matt Low MAR
Matt GN279A

Interpon D1000 Vivica™

A soft metallic finish, providing luxury and richness to give your creations that standout quality.



Vivica™ Ultra Silver
Gloss GY070A



Vivica™ Nobel Silver Pearl
Satin GY119A



Vivica™ Palladium Silver Pearl
Satin GY184C



Vivica™ Asteroid Pearl
Matt GY270A



Vivica™ Storm Front
Matt GL249A



Vivica™ Black Onyx
Gloss GY042A



Vivica™ Charcoal Pearl
Matt GY237A




Vivica™ Charcoal Metallic
Gloss GM019A

Interpon D1000 Textura® Unique fine texture finish designed to reduce marring and scuffing and ensure a right-first-time finish.



Textura® White
Texture GA330A



Textura® Surfmist
Texture GA336A



Textura® Primrose
Texture GD331A



Textura® Paperbark
Texture GD314A



Textura® Dune
Texture GL352A




Textura® Silver
Texture GY35LA



Textura® Ironstone
Texture GL336A



Textura® Deep Ocean
Texture GJ301A



Textura® Jasper
Texture GM314A



Textura® Woodland Grey
Texture GL333A



Textura® Monument
Texture GL329A




Textura® Black
Texture GN305A



Textura® Bass
Texture GY397A



Textura® Asteroid
Texture GY37BA



Textura® CoreTen
Texture GX350A



Textura® Brilliance
Texture GY37AA




Textura® Basalt
Texture GP308A

Interpon D1000 Anodic

A sustainable alternative, providing soft, metallic tones, without causing the environment any unnecessary harm.



Anodic Clear
Matt GY221A



Anodic Off White
Matt GD227A



Anodic Silver Grey
Matt GL237A



Anodic Natural
Matt GY235A



Anodic Bronze
Satin GY114A




Anodic Dark Grey
Matt GL213A


Interpon A2000 Auto Auxiliary A select range of colors designed for the automotive after market.




Toyota Graphite 1G3
Gloss GY010A




Toyota White 040 Gloss
Gloss GA019A



RF Isuzu Arc White Gloss
Gloss GP072A



Sterling White Gloss
Gloss GA006A



Toyota White 058 Gloss
Gloss GA059A


Interior Color Range

Interpon 610 Color Energy A collection of striking colors to accent modern features.



Lemon Yellow
Gloss ME068A  



Flame Red
Gloss MG071A  



Blaze Blue
Gloss MJ034A  




Orange X15
Gloss MF035A  




Yellow Gold
Gloss ME038A  



Signal Red
Gloss MG036A  



French Blue
Gloss MJ067A  



Deep Pool
Satin MK002A  




Safety Yellow
Gloss ME096A  



Safety Yellow
Texture ME396A  



Space Blue
Gloss MJ008A  




Lawn Green
Gloss MK038A  


Interpon 610 Ripple*

A distinctive coarse texture effect which also allows masking of substrate surface defects.



Ripple White
Gloss MA494A 



Ripple RAL 7035
Gloss ML435A 



Ripple APO Grey
Gloss ML463A 




Ripple Graphite
Matt EY422A 



Ripple X15 Orange
Gloss MF406A  



Ripple RAL 7032
Gloss MP476A 



Ripple Black
Gloss MN427A 



Hammer Mystique
Gloss MW415C  

* All products in the Ripple range are Interpon 610 apart from Ripple Graphite which is an Interpon 700 product.

Interpon Redox

Total corrosion protection to enable your building to last even in the toughest environments.



PZ560 Zinc
Primer BL103K



PZ790
Primer ALZ90F



MetaPrep™ Grey
Primer EL286A




Bright Silver
Matt MW201T 


Interpon Clears



Easy Clean Clear
Gloss UZ607I




Polyester Clear
Clear Gloss YZ009K

 Not recommended for use where high UV exposure is likely

 For internal use only

 For General Industrial Range

 Are recommended to be over coated with Interpon 810 Clear powder coating for exterior use or aggressive internal applications



AkzoNobel

Since 1792, we've been supplying the innovative paints and coatings that help to color people's lives and protect what matters most. Our world class portfolio of brands – including International, Sikkens and Interpon – is trusted by customers around the globe. We're active in more than 150 countries and use our expertise to sustain and enhance everyday life. Because we believe every surface is an opportunity. It's what you'd expect from a pioneering and long-established paints company that's dedicated to providing sustainable solutions and preserving the best of what we have today – while creating an even better tomorrow. Let's paint the future together.

For more information please visit akzonobel.com and interpon.com

All products supplied & technical advice given are subject to the standard terms of sale of the AkzoNobel supplying company. Interpon® and Textura® are registered trademarks of AkzoNobel Pty Ltd. Sablé™, MiniB™, Vivica™, Excel™ and MetaPrep™ are trademarks of AkzoNobel Pty Ltd. COLORBOND®** and @ color names are registered trademarks of BlueScope Steel Limited.™** color names are trademarks of BlueScope Steel Limited. Over time performance may vary between COLORBOND® steel and Interpon Powder Coatings due to the different paint technologies used.

© Copyright 2024 AkzoNobel Pty Limited ABN 59 000 119 424.
Issue 2 - 10/2024.

Follow us

Powder Coatings by AkzoNobel



interpon.com

Interpon®

Care and Maintenance

Over time with exposure to the elements, powder coatings may show signs of weathering such as loss of gloss, chalking and slight color change. But regular cleaning will minimize the effects and remove dirt, grime and other build-up detrimental to all powder coatings. Using a solution of warm water and nonabrasive, pH neutral detergent solution, and rinsing surfaces after cleaning, is the best way to protect the value of your asset.

| Category (AS4312) | Corrosivity Level | External | Internal | Required Cleaning* |
|-------------------|-------------------|----------------------------------|-------------------------------------|--------------------|
| C1 | Very Low | Alpine Areas | Offices, Shops | Every 12 Months |
| C2 | Low | Arid, Rural, Urban | Warehouses, Sports Halls | Every 12 Months |
| C3 | Medium | Coastal (Bays) | Food Processing Plants, Breweries | Every 12 Months |
| C4 | High | Sea Shore (Calm), Swimming Pools | Swimming Pools, Livestock Buildings | Every 6 Months |
| C5 | Very High | Sea Shore (Surf), Offshore | Heavy Industrial, Chemical sites | Every 3 Months |
| CX | Extreme | Shoreline (Severe Surf) | Adjacent to acidic processes | Every 3 Months |

*Refer Interpon Powder Coatings – Care and Maintenance sheet for further details.

Speak to your local representative or contact salesoz@interpon.com to learn more about what Living Colors can do for you.

t: 1800 630 516 | f: 1800 650 786



green building council australia
MEMBER 2020-2021

S-P-00692 EPD®
environdec.com

EPD logo applies to D1000 and D1000 Excel™ only

Architectural

Your imagination starts with our finish