
Interpon
POWDER COATINGS
Living Colours
Your imagination starts with our finish
AkzoNobel

Primer ◯ Matt ● Satin ▨ Gloss ✦ Texture

Colour Name	Technology	Code		Colour Group	LRV
Anodic Bronze	D1000	GY114A	▨	Anodic	12%
Anodic Dark Grey	D1000	GL213A	●	Anodic	7%
Anodic Natural	D1000	GY235A	●	Anodic	42%
Anodic Off White	D1000	GD227A	●	Anodic	74%
Anodic Silver Grey	D1000	GL237A	●	Anodic	48%
APO Grey	D1000	GL107A	▨	Living Series	46%
Black	D1000	GN150A	▨	Living Series	4%
Black Matt Low MAR	D1000	GN279A	●	Living Series	4%
Blaze Blue	610	MJ034A	✦	Colour Energy	18%
Bright White	D1000	GA030A	✦	Living Series	81%
Classic Pearl White	D1000	GA073A	✦	Living Series	91%
Coral Black	D1000	GN063A	✦	Living Series	4%
Custom Black	D1000	GN248A	●	Living Series	4%
Deep Pool	610	MK002A	▨	Colour Energy	20%
Doeskin	D1000	GD188A	▨	Living Series	44%
Easy Clean Clear	EC1100	UZ607I	✦	Silvers & Clears	59%
Excel™ Basalt™	D1000 Excel™	GP108A	▨	Excel™	13%
Excel™ Basalt™	D1000 Excel™	GP208A	●	Excel™	14%
Excel™ Bluegum®	D1000 Excel™	GL223A	●	Excel™	24%
Excel™ Bushland®	D1000 Excel™	GS103A	▨	Excel™	24%
Excel™ Charcoal	D1000 Excel™	GL035A	✦	Excel™	6%
Excel™ Charcoal	D1000 Excel™	GL180A	▨	Excel™	7%
Excel™ Classic Cream®	D1000 Excel™	GD245A	●	Excel™	67%
Excel™ Classic Cream®	D1000 Excel™	GU145A	▨	Excel™	67%
Excel™ Cottage Green®	D1000 Excel™	GS174A	▨	Excel™	10%
Excel™ Cottage Green®	D1000 Excel™	GK274A	●	Excel™	11%
Excel™ Deep Ocean®	D1000 Excel™	GJ203A	●	Excel™	9%
Excel™ Deep Ocean®	D1000 Excel™	GQ103A	▨	Excel™	9%
Excel™ Domain®	D1000 Excel™	GD230A	●	Excel™	67%
Excel™ Dover®	D1000 Excel™	GA263A	●	Excel™	83%
Excel™ Dune®	D1000 Excel™	GP152A	▨	Excel™	40%
Excel™ Dune®	D1000 Excel™	GL252A	●	Excel™	41%
Excel™ Evening Haze®	D1000 Excel™	GM235A	●	Excel™	51%
Excel™ Evening Haze®	D1000 Excel™	GT135A	▨	Excel™	52%

Colour Name	Technology	Code		Colour Group	LRV
Excel™ Gully™	D1000 Excel™	GM242A	●	Excel™	20%
Excel™ Hawthorn Green	D1000 Excel™	GK030A	✦	Excel™	7%
Excel™ Heritage Green	D1000 Excel™	GK044A	✦	Excel™	6%
Excel™ Ironstone®	D1000 Excel™	GL236A	●	Excel™	11%
Excel™ Ironstone®	D1000 Excel™	GP136A	▨	Excel™	11%
Excel™ Jasper®	D1000 Excel™	GM214A	●	Excel™	15%
Excel™ Jasper®	D1000 Excel™	GT114A	▨	Excel™	16%
Excel™ Manor Red®	D1000 Excel™	GG262A	●	Excel™	9%
Excel™ Manor Red®	D1000 Excel™	GV162A	▨	Excel™	9%
Excel™ Monument®	D1000 Excel™	GL229A	●	Excel™	8%
Excel™ Monument®	D1000 Excel™	GP129A	▨	Excel™	8%
Excel™ Night Sky®	D1000 Excel™	GN231A	●	Excel™	4%
Excel™ Night Sky®	D1000 Excel™	GN121A	▨	Excel™	4%
Excel™ Pale Eucalypt®	D1000 Excel™	GS136A	▨	Excel™	24%
Excel™ Pale Eucalypt®	D1000 Excel™	GK236A	●	Excel™	25%
Excel™ Paperbark®	D1000 Excel™	GD214A	●	Excel™	50%
Excel™ Paperbark®	D1000 Excel™	GU114A	▨	Excel™	50%
Excel™ Pearl White®	D1000 Excel™	GA029A	✦	Excel™	89%
Excel™ Primrose	D1000 Excel™	GD031A	✦	Excel™	72%
Excel™ Riversand®	D1000 Excel™	GM204A	●	Excel™	33%
Excel™ Shale Grey®	D1000 Excel™	GL284A	●	Excel™	49%
Excel™ Shale Grey®	D1000 Excel™	GP184A	▨	Excel™	49%
Excel™ Southerly®	D1000 Excel™	GL224A	●	Excel™	58%
Excel™ Surfmist®	D1000 Excel™	GB136A	▨	Excel™	66%
Excel™ Surfmist®	D1000 Excel™	GA236A	●	Excel™	69%
Excel™ Wallaby™	D1000 Excel™	GL111A	▨	Excel™	18%
Excel™ Wallaby™	D1000 Excel™	GL210A	●	Excel™	18%
Excel™ Wilderness®	D1000 Excel™	GS189A	▨	Excel™	18%
Excel™ Wilderness®	D1000 Excel™	GK289A	●	Excel™	19%
Excel™ Windspray®	D1000 Excel™	GP166A	▨	Excel™	27%
Excel™ Windspray®	D1000 Excel™	GL266A	●	Excel™	28%
Excel™ Wollemi®	D1000 Excel™	GK243A	●	Excel™	8%
Excel™ Woodland Grey®	D1000 Excel™	GL205A	●	Excel™	12%
Excel™ Woodland Grey®	D1000 Excel™	GP105A	▨	Excel™	12%

Living Colours

Interpon is the stand-out performer for architects and fabricators looking to bring their creations to life and leave a lasting legacy to inspire future generations. This means providing the colours and finishes to make your creations look amazing, for long into the future. Our in-house colour experts use deep insight and scientific research to anticipate and predict movements in trends that affect colour and coating choices for architectural applications. We have drawn on the knowledge of our global Aesthetics Centre, along with our own Australian insights, to produce this residential and industrial powder coatings collection – Living Colours.

The Interpon Ranges

Interpon 610

Interpon 610, Interpon 700 ranges feature higher transfer efficiency, excellent coverage and high levels of damage resistance, and are available in an extensive selection of brighter colours, ripples and textures.

Interpon D1000 / Interpon D1000 Excel™

The D1000 is a highly durable range of powder coatings. Interpon D1000 ExcelTM has been to developed to improve on the benefits of D1000 for applications over porous substrates, such as hot dip galvanised steel and castings, providing greater application tolerance and improved film appearance, while still suitable for aluminum and steel substrates.

Interpon A2000

For automotive trim components, Interpon A2000 travels around the world to protect and decorate vehicles for the most demanding OEM manufacturers. A2000 powders are designed for success as exterior and interior applications.

Redox for Steel Substrates

Interpon Redox primers provide a total corrosivity solution, enabling products to withstand whatever the world can throw at them, and remain fully operational long into the future.

Exterior Durable Colour Range

Interpon Excel™ D1000 Degassing technology provides smoother films over porous substrates.



Excel™ Pearl White®
Gloss GA029A




Excel™ Dover
Matt GA263A



Excel™ Surfmist®
Matt GA236A | Satin GB136A



Excel™ Southerly
Matt GL224A



Excel™ Primrose
Gloss GD031A



Excel™ Classic Cream®
Matt GD245A | Satin GU145A



Excel™ Domain®
Matt GD230A



Excel™ Evening Haze®
Matt GM235A | Satin GT135A



Excel™ Shale Grey®
Matt GL284A | Satin GP184A




Excel™ Dune®
Matt GL252A | Satin GP152A



Excel™ Paperbark®
Matt GD214A | Satin GU114A



Excel™ Riversand®
Matt GM204A



Excel™ Gully™
Matt GM242A



Excel™ Jasper®
Matt GM214A | Satin GT114A



Excel™ Wallaby™
Matt GL210A | Satin GL111A



Excel™ Manor Red®
Matt GG262A | Satin GV162A



Excel™ Windspray®
Matt GL266A | Satin GP166A



Excel™ Basalt™
Matt GP208A | Satin GP108A



Excel™ Bushland®
Satin GS103A



Excel™ Woodland Grey®
Matt GL205A | Satin GP105A



Excel™ Bluegum
Matt GL223A



Excel™ Pale Eucalypt®
Matt GK236A | Satin GS136A



Excel™ Wilderness®
Matt GK289A | Satin GS189A



Excel™ Cottage Green®
Matt GK274A | Satin GS174A



Excel™ Hawthorn Green
Gloss GK030A



Excel™ Heritage Green
Gloss GK044A



Excel™ Ironstone®
Matt GL236A | Satin GP136A



Excel™ Deep Ocean®
Matt GJ203A | Satin GQ103A



Excel™ Monument®
Matt GL229A | Satin GP129A



Excel™ Wollemi
Matt GK243A



Excel™ Night Sky®
Matt GN231A | Satin GN121A



Excel™ Charcoal
Gloss GL035A | Satin GL180A

Interpon®
POWDER COATINGS

Colours displayed on this colour card are a guide only and have been matched as close as possible to Interpon production standards under daylight conditions. Due to the nature of the printing process some degree of colour and gloss level variation may occur. Where more than one finish is available product colour may vary. We recommend that you use production line prepared samples for final colour selection or approval.

Most gloss finishes on this card are available in EC technology as Made to Order **MiniB**.

Interpon D1000 Living Series

A classic range of local favorites in subtle and neutral shades.



Bright White
Gloss GA030A




White Satin
Satin GA124A




Pearl White
Gloss GA078A



Classic Pearl White
Gloss GA073A



Shoji White
Satin GA160A



White Birch
Gloss GA057A



Oyster Grey
Matt GL258A



APO Grey
Satin GL107A



Primrose
Gloss GD037A



Magnolia
Gloss GD025A



Doeskin
Satin GD188A



Stone Beige
Matt GD247A



Pottery
Satin GM175A



Transformer Grey
Gloss GL031A



Storm Grey N42
Gloss GL060A



Olde Pewter
Satin GL175A



Notre Dame
Gloss GL040A



Hamersley Brown
Satin GM100A



Coral Black
Gloss GN063A



Custom Black
Matt GN248A



Black Satin
Satin GN150A



Black Matt Low MAR
Matt GN279A

Interpon D1000 Metallics

A soft metallic finish, providing luxury and richness to give your creations that standout quality.



Nuance Silver Pearl
Satin GW104C



Citi®
Matt GL211A



Ultra Silver
Gloss GY070A



Nobel Silver Pearl
Satin GY119A



Palladium Silver Pearl
Satin GY184C



Storm Front
Matt GL249A



Charcoal Pearl
Matt GY237A



Charcoal Metallic
Gloss GM019A

Interpon D1000 Textura® Unique fine texture finish designed to reduce marring and scuffing and ensure a right-first-time finish.



Textura® White
Texture GA330A



Textura® Dover White
Texture GA363A



Textura® Surfmist
Texture GA336A



Textura® Primrose
Texture GD331A



Textura® Paperbark
Texture GD314A



Textura® Dune
Texture GL352A



Textura® Silver
Texture GY35LA



Textura® Ironstone
Texture GL336A



Textura® Deep Ocean
Texture GJ301A



Textura® Jasper
Texture GM314A



Textura® Woodland Grey
Texture GL333A



Textura® Monument
Texture GL329A



Textura® Brilliance
Texture GY37AA



Textura® Basalt
Texture GP308A



Textura® Asteroid
Texture GY37BA



Textura® CoreTen
Texture GX350A



Textura® Bass
Texture GY397A



Textura® Black
Texture GN305A

Interpon D1000 Anodic

A sustainable alternative, providing soft, metallic tones, without causing the environment any unnecessary harm.



Anodic Off White
Matt GD227A



Anodic Silver Grey
Matt GL237A



Anodic Natural
Matt GY235A



Anodic Bronze
Satin GY114A



Anodic Dark Grey
Matt GL213A

Interpon A2000 Auto Auxiliary A select range of colours designed for the automotive after.



Toyota Graphite 1G3
Gloss GY010A



Toyota White 040 Gloss
Gloss GA019A



RF Isuzu Arc White Gloss
Gloss GP072A



Sterling White Gloss
Gloss GA006A



Toyota White 058 Gloss
Gloss GA059A

Interior Colour Range

AkzoNobel

Interpon 610 Colour Energy

A collection of striking colours to accent modern features.

Lemon Yellow
Gloss ME068A

Flame Red
Gloss MG071A

Blaze Blue
Gloss MJ034A

Orange X15
Gloss MF035A

Yellow Gold
Gloss ME038A

Signal Red
Gloss MG036A

French Blue
Gloss MJ067A

Deep Pool
Satin MK002A

Safety Yellow
Gloss ME096A

Safety Yellow
Texture ME396A

Space Blue
Gloss MJ008A

Lawn Green
Gloss MK038A

Interpon 610 Ripple*

A distinctive coarse texture effect which also allows masking of substrate surface defects.

Ripple White
Gloss MA494A

Ripple RAL 7035
Gloss ML435A

Ripple APO Grey
Gloss ML463A

Ripple X15 Orange
Gloss MF406A

Ripple RAL 7032
Gloss MP476A

Ripple Black
Gloss MN427A

Hammer Mystique
Gloss MW415C

* All products in the Ripple range are Interpon 610 apart from Ripple Graphite which is an Interpon 700 product.

Interpon Redox Primers

Technology	Product Name	Code	Base	Surface	Environment	Characteristics
Redox PZ	PZ560	BL103A	Epoxy	Blasted Steel	C1 to C3	• The best performing powder primer for corrosion protection over blasted steel • Designed for use with mechanical pre-treatment • Excellent performance and corrosion prevention up to C5 environments
	PZ790	ALZ90F	Epoxy	Blasted Steel	C1 to C5	
Redox APA	MetaPrep™ Grey	EL286A	Epoxy-Polyester	Porous Metal (Non-architectural Aluminium, Stainless steel, HDG, Galv)	C1 to C4 C5 if used in a Steelplex 3 coat system	• Outstanding outgassing properties • Good edge coverage • Very easy to apply • Excellent adhesion with topcoat

Interpon Clears

A decorative, functional, and weather-resistant coating that creates surfaces easy to clean and maintain.

Easy Clean Clear
Gloss UZ607I

Polyester Clear
Clear Gloss YZ009K

Interpon website
View and order sample:

Not recommended for use where high UV exposure is likely

For internal use only

610 For General Industrial Range

Primer Matt Satin Gloss Texture

Colorbond® and ® colour names are registered trademarks of BlueScope Steel Limited

Colour Name	Technology	Code	Colour Group	LRV
Flame Red	610	MG071A	Colour Energy	11%
French Blue	610	MJ067A	Colour Energy	13%
Hamersley Brown	D1000	GM100A	Living Series	8%
Hammer Mystique	610	MW415C	Ripple	13%
Lawn Green	610	MK038A	Colour Energy	12%
Lemon Yellow	610	ME068A	Colour Energy	66%
Magnolia	D1000	GD025A	Living Series	63%
MetaPrep™ Grey	700	EL286A	Primer	47%
Notre Dame	D1000	GL040A	Living Series	16%
Olde Pewter	D1000	GL175A	Living Series	20%
Orange X15	610	MF035A	Colour Energy	28%
Oyster Grey	D1000	GL258A	Living Series	60%
Pearl White	D1000	GA078A	Living Series	89%
Pottery	D1000	GM175A	Living Series	39%
Primrose	D1000	GD037A	Living Series	70%
PZ560 Zinc	100	BL103A	Primer	13%
PZ790	100	ALZ90F	Primer	15%
RF Isuzu Arc White Gloss	A2000	GP072A	Auto Auxiliary	68%
Ripple APO Grey	610	ML463A	Ripple	43%
Ripple Black	610	MN427A	Ripple	4%
Ripple RAL 7032	610	MP476A	Ripple	44%
Ripple RAL 7035	610	ML435A	Ripple	58%
Ripple White	610	MA494A	Ripple	92%
Ripple X15 Orange	610	MF406A	Ripple	29%
Safety Yellow	610	ME096A	Colour Energy	45%
Safety Yellow	610	ME396A	Colour Energy	43%
Shoji White	D1000	GA160A	Living Series	78%
Signal Red	610	MG036A	Colour Energy	13%
Space Blue	610	MJ008A	Colour Energy	7%
Sterling White Gloss	A2000	GA006A	Auto Auxiliary	78%
Stone Beige	D1000	GD247A	Living Series	47%
Storm Grey N42	D1000	GL060A	Living Series	30%

Colour Name	Technology	Code	Colour Group	LRV
Textura® White	D1000	GA330A	Textura®	87%
Textura® Dover White	D1000	GA363A	Textura®	83%
Textura® Surfmist®	D1000	GA336A	Textura®	67%
Textura® Primrose	D1000	GD331A	Textura®	69%
Textura® Paperbark®	D1000	GD314A	Textura®	52%
Textura® Dune®	D1000	GL352A	Textura®	58%
Textura® Silver	D1000	GY35LA	Textura®	38%
Textura® Ironstone®	D1000	GL336A	Textura®	11%
Textura® Deep Ocean®	D1000	GJ301A	Textura®	9%
Textura® Jasper®	D1000	GM314A	Textura®	15%
Textura® Woodland Grey®	D1000	GL333A	Textura®	12%
Textura® Monument®	D1000	GL329A	Textura®	8%
Textura® Black	D1000	GN305A	Textura®	5%
Textura® Brilliance	D1000	GY37AA	Textura®	16%
Textura® Asteroid	D1000	GY37BA	Textura®	11%
Textura® Core Ten	D1000	GX350A	Textura®	8%
Textura® Basalt	D1000	GP308A	Textura®	8%
Toyota Graphite 1G3	A2000	GY010A	Auto Auxiliary	9.6%
Toyota White 040 Gloss	A2000	GA019A	Auto Auxiliary	79%
Toyota White 058 Gloss	A2000	GA059A	Auto Auxiliary	75%
Transformer Grey	D1000	GL031A	Living Series	30%
Charcoal Metallic	D1000	GM019A	Metallics	7%
Charcoal Pearl	D1000	GY237A	Metallics	6%
Citi®	D1000	GL211A	Metallics	44%
Nobel Silver Pearl	D1000	GY119A	Metallics	31%
Nuance Silver Pearl	D1000	GW104C	Metallics	35%
Palladium Silver Pearl	D1000	GY184C	Metallics	30%
Storm Front	D1000	GL249A	Metallics	13%
Ultra Silver	D1000	GY070A	Metallics	41%
White	D1000	GA124A	Living Series	89%
White Birch	D1000	GA057A	Living Series	85%
Yellow Gold	610	ME038A	Colour Energy	52%

Transparency and reliability

Creating futures that last

You can rely on us. Our Interpon D1000 range delivers on its promised durability levels in terms of colour retention and film integrity.

- Offering up to 10 years global warranty on the coating performance when applied by an Interpon D Approved Applicator.
- Meets the performance requirements of AMAA 2603.



Building a sustainable future

The Interpon D1000 range is a family of products that is not just helping us to imagine the future; it is also protecting it. Backed by an Environmental Product Declaration (EPD), the raw materials, manufacture and transportation associated with creating Interpon D have been assessed by an independent third-party for transparent sustainability credentials.

EPD®
THE INTERNATIONAL EPD® SYSTEM

Colour Freedom

Colour and finish are a crucial element of your design, which is why we've created our **made-to-order colour service**. For smaller projects down to 20kg, Interpon MiniB™ provides fast service on small batch made-to-order colours that are specific to your needs. Some conditions do apply such as choice of colour and product. Please contact the Interpon Customer Care Team for additional advice.

Interpon D Approved Applicators

The Interpon D Approved Applicators Network has been designed to ensure the Interpon solution you choose is applied correctly and meets the warranty requirements to local and international standards. To view all Interpon D Approved Applicators please visit **interpon.com/au/en/approved-applicators**

How to Specify Interpon Powder Coatings

Selecting the right powder coating is essential to achieving the performance and finish your project requires.

That's why specifying Interpon powder coatings is simple and straightforward.

Just follow these steps:

- Nominate the Interpon product.
  For example: Interpon D1000
- Select the colour, finish and product code.
  For example: Anodic Natural Matt – GY235A
- Choose an approved Interpon applicator. Visit interpon.com to find your nearest applicator, or contact your local Interpon representative for assistance.
- Or Specify with NATSPEC. Interpon products can also be specified using the NATSPEC Interpon worksection. Simply scan the QR code on the back of this card to access it.



AkzoNobel

Since 1792, we've been supplying the innovative paints and coatings that help to colour people's lives and protect what matters most. Our world class portfolio of brands – including International, Sikkens and Interpon – is trusted by customers around the globe. We're active in more than 150 countries and use our expertise to sustain and enhance everyday life. Because we believe every surface is an opportunity. It's what you'd expect from a pioneering and long-established paints company that's dedicated to providing sustainable solutions and preserving the best of what we have today – while creating an even better tomorrow. Let's paint the future together.

For more information please visit www.akzonobel.com.

© 2025 Akzo Nobel N.V. All rights reserved.

All products supplied & technical advice given are subject to the standard terms of sale of the AkzoNobel supplying company. Interpon® and Textura® are registered trademarks of AkzoNobel Pty Ltd. Sablé,™ MiniB,™ Excel™ and MetaPrep™ are trademarks of AkzoNobel Pty Ltd. COLORBOND®* and ® colour names are registered trademarks of BlueScope Steel Limited.™* colour names are trademarks of BlueScope Steel Limited. Over time performance may vary between COLORBOND® steel and Interpon Powder Coatings due to the different paint technologies used.

© Copyright 2025 AkzoNobel Pty Limited ABN 59 000 119 424.

MKT 1897 | Issue 1 - 01/2026

Care and Maintenance

Over time with exposure to the elements, powder coatings may show signs of weathering such as loss of gloss, chalking and slight colour change. But regular cleaning will minimize the effects and remove dirt, grime and other build-up detrimental to all powder coatings. Using a solution of warm water and nonabrasive, pH neutral detergent solution, and rinsing surfaces after cleaning, is the best way to protect the value of your asset.

Category (AS4312)	Corrosivity Level	External	Internal	Required Cleaning*
C1	Very Low	Alpine Areas	Offices, Shops	Every 12 Months
C2	Low	Arid, Rural, Urban	Warehouses, Sports Halls	Every 12 Months
C3	Medium	Coastal (Bays)	Food Processing Plants, Breweries	Every 12 Months
C4	High	Sea Shore(Calm), Swimming Pools	Swimming Pools, Livestock Buildings	Every 6 Months
C5	Very High	Sea Shore (Surf), Offshore	Heavy Industrial, Chemical sites	Every 3 Months
CX	Extreme	Shoreline (Severe Surf)	Adjacent to acidic processes	Every 3 Months

*Refer Interpon Powder Coatings – Care and Maintenance sheet for further details.

Speak to your local representative or contact **salesoz@akzonobel.com** to learn more about what Living Colours can do for you.

1800 630 516

Natspec website
Interpon Specification worksection on Natspec:

Follow us
Powder Coatings by AkzoNobel

interpon.com
specifyinterpon.com.au

Green Building Council Australia
Member 2025-2026

S-P-00692 EPD® environdec.com

EPD logo applies to D1000 and D1000 Excel™ only

Interpon®

Architectural
Your imagination starts with our finish